


Fall/Winter 2006

More Than
130 New Items
In This Issue!



MANHATTAN™

BRINGING COMPUTERS TO LIFE



Keyboards
Mice
Speakers
Hubs
Power Protection
PC Components
Cases
CPU Coolers
PC Cards
Retail Packed Cables
Data Switches
Notebook Cases
Cleaning Products
Desk Organization
Media Storage
Mouse Pads
Mobile Computing
Voice Over IP

**LIFETIME
WARRANTY**



8 SPEAKERS THAT SURROUND YOUR HEAD



MANHATTAN™

BRINGING COMPUTERS TO LIFE





8 SPEAKER SURROUND SOUND HEADSETS

MANHATTAN
BRINGING COMPUTERS TO LIFE



Introducing the new line of MANHATTAN Headsets, featuring only the best-selling, time-proven products. You can now choose from a full-range of headsets.



CONTENTS

PC Components	Page
Cards Readers.....	19
Cases.....	35
Case/Power Supply Fans.....	47
Controller Cards.....	37-38
Coolers.....	44-46
Hard Drive Docking Kits.....	43
Hi-Speed USB 2.0 Cards.....	36
Modems.....	37
Mounting Kits.....	43
Parallel Cards.....	39
PCI Sound Cards.....	11
Power Supplies.....	40
SATA/IDE Converters.....	28
Serial Cards.....	39

Peripherals

Adapters.....	24
Audio Video.....	10
Barcode Scanners.....	20
Converters.....	24
Data Transfer.....	21-23
External Drive Enclosures.....	41-42
Graphics Tablets.....	19
Headsets.....	6-7
Hubs.....	25-26
Keyboards.....	17-18
Mice.....	12-16
Microphones.....	7
Speakers.....	8-9
Surge Protection.....	49-50
Tool Kits.....	51
TV Tuners.....	11
UPS/Power Products.....	48-50
USB Peripherals.....	21-26
Voice Over IP.....	27
Web Cameras.....	28-29

Cables and Data Communications

Adapters.....	57
AT Modem Cable.....	69
Audio/Video Cables.....	58-59, 67
CD-Rom Audio.....	71
Data Cables.....	56, 68
Data Switches.....	63
DVI Cables.....	68
DVI/HDMI Adapters.....	65
DVI Repeaters.....	63
DVI Cables.....	68
Firewire Cables.....	55, 67
Gender Changers.....	70
HDMI Repeaters.....	63
HDTV Cables.....	61, 66
Internal Cables.....	62, 71
Keyboard/Mouse.....	69
KVM Cables.....	70
Monitor Cables.....	57, 66, 68
Network Cables.....	55
Null Modem Cables.....	69
OTG Cables.....	61, 66
PolyBag Packaged Cables.....	66-71
Power Cables.....	56, 70
Printer Cables.....	60, 67
Retail Cable Module.....	52-53
Ribbon Cables.....	71
Round Cables.....	71
SATA Cables.....	61, 68
SCSI Adapters.....	65, 71
USB Cables.....	54, 67
Video Splitters.....	64

Office Accessories and Mobile Computing

Anti-Static Products.....	72
CD Labeling Kit/Labels.....	72
Cleaning Products.....	74-75
Keyboard Drawers.....	72
Monitor Arms/Wall Mount Brackets.....	72
Mouse Pads.....	73
Notebook Accessories.....	76-77
Notebook Bags/Cases.....	78-81

INTELLINET NETWORK SOLUTIONS

Internet Access.....	34
Network Attached Storage.....	32-33
Wireless Retail Module.....	30-31
Barcode Index.....	82

More Than
130 New Items
In This Issue!

MANHATTAN

FEATURED PRODUCTS

5000 Series 5.1 Multimedia Speaker System

160360

Page 8



USB Voice Over IP Desktop Phone

903028

Page 27



Wireless Optical Mini-Mouse

175968


Page 16



Slim Keyboard

174121


Page 18



USB Game Port Adapter

168199

Page 22



Mini Cam

460668

Page 28



Wall Street Notebook Case

421454

See entire bag line pages 78-81




HEADSETS

Personal Cinema Headset

NEW

- 8 individual speakers: 2 front, 2 rear, 2 center, 2 subwoofer
- Delivers the absolute ultimate PC DVD movie and gaming experiences
- Dolby Digital AC-3
- Digital DTS 5.1 Surround Sound
- Bundled with WinDVD 5 for DVD playback and InterVideo WinRip 2 for audio playback
- Bass response includes speaker vibration
- USB interface — Plug and Play
- Removable microphone
- Built-in amplifier chip

176064



Vibration Mode

Wireless Stereo Headphones

- Self-adjusting inner headband
- Adjustable volume control
- Direct line-of-sight with receiver not required
- Effective range up to 100 m/360°
- Quickly connects to audio output of PCs, TVs, VCRs, etc.
- Adjustable frequency tuning for optimum performance
- Battery charger in transmitter
- Automatic power-on/off

171199



Compatible with PC or Stereo



Noise Cancelling Stereo Headphones

NEW

- Active and passive technology reduces background noise in airline cabins and busy offices
- Enjoy music, movies and quiet relaxation during travel to arrive rested and less fatigued
- Improve concentration and work productivity with fewer annoying distractions
- Adjustable headband and padded ear cushions provide comfortable fit and wear
- Connects via standard 3.5 mm stereo plug to most media sources; in-line battery pack provides up to 30 hours of use

176163



Bluetooth Monaural Headset

NEW

- Lightweight, wireless connection for most Bluetooth-enabled mobile telephones — also supports Skype
- Easily pairs with notebook PCs and other Bluetooth-enabled devices to receive wireless audio
- Versatile design offers earplug with flexible clip for all-day comfort or earphone for harsh weather and outdoor activities
- Answer/end/reject/transfer call, volume, microphone mute, power on/off and redial functions
- Up to six hours of continuous talk time and 200 hours of standby time; easy setup — no drivers required

175340



Bluetooth Stereo Headset with Transmitter

NEW

- Enjoy clear voice and stereo reception with most Bluetooth-enabled devices — never miss a call while listening to music
- Separate transmitter adds wireless convenience to notebook and desktop PCs, MP3 players, Skype and other non-Bluetooth audio sources
- Comfortable, behind-the-neck design has a detachable microphone and folds for travel and storage
- Control Bluetooth mobile phone and audio functions directly from the headset
- Extended 50 ft. range with up to six hours of continuous play; easy setup — no drivers required

175944



Home Theater Headset

- Detachable, adjustable microphone
- Adjustable, padded inner headband
- 5.1 Channel Surround Sound
- 8 individual speakers: (2) front, (2) rear, (2) center, (2) subwoofer
- Adjustable channel volume control
- Bass response/speaker vibration
- Connects directly to DVD Players, Home Theater Systems and PCs
- Perfect for DVDs, Music and Games
- Built-in amplifier chip

172400



STEREO HEADSETS

Stereo Headset **NEW**

- Comfortable padded ear cushions
- Stainless steel headband
- Adjustable support adapts to individual head size
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

175517


Ear-Hook Stereo Headset **NEW**

- Comfortable padded earphones
- Adjustable ear-hooks for secure fit
- Lightweight design for comfort, 1.1 oz. (31 g)
- Adjustable volume control

175494


Wrap-Around Stereo Headset **NEW**

- Comfortable padded earphones
- "Behind-The-Neck" headband prevents hair style damage
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

175524


Classic Stereo Headset **NEW**

- Comfortable padded cloth ear cushions
- Stainless steel headband
- Adjustable support adapts to individual head size
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Super bass system
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

175555


Vintage Stereo Headset **NEW**

- Comfortable padded leather ear cushions
- Stainless steel headband
- Adjustable support adapts to individual head size
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Lightweight, stylish design
- Metallic-colored ear covers
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

175548


Related Product



Speaker/Headset
Switching Hub
p. 7

Deluxe Stereo Headset **NEW**

- Comfortable padded earphones
- Self-adjusting padded inner headband adapts to individual head size
- Super bass system
- Exceptionally loud volume
- Adjustable volume control with built-in microphone
- 1/8 in. female to 1/4 in. male stereo adapter included

177931


HEADSETS & MICROPHONES

Stereo Headset

- Stereo Headphone with Foam Earpads
- Microphone for hands free communication
- Adjustable volume control

164429 Stereo Headset

164436 Stereo Headset with Adjustable Volume Control

Single Ear Headset

- 6ft. cord
- 3.5 mm plug
- Flexible boom microphone

173070

Economy Headphones

- 4 ft. cord
- 3.5 mm plug

172479

Speaker/Headset Switching Hub

- Easily switch between speakers and headset
- Volume control
- 3.5 mm plug for speakers and headset
- 2.5 mm plug for hands-free earphones
- On/Off switch for microphone
- 5 ft. cord

172851

Microphone

- Condenser microphone
- Base rotates boom to any angle
- For multimedia, gaming, voice recognition and Internet applications
- Includes hardware for desktop use or screen mount

Adjustable Gooseneck

173964

Flexible Gooseneck

173957

Microphone

- Condenser microphone
- Mounts in any position
- For multimedia, gaming, voice recognition and Internet applications
- Includes hardware for lapel clip or screen mount
- Condenser microphone
- Mounts in any position
- For multimedia, gaming, voice recognition and Internet applications
- Includes hardware for lapel clip or screen mount

173940

MANHATTAN offers a wide range of multimedia speaker systems ideal for the home or office in 2.0, 2.1 and 5.1 channel configurations. The 2100, 2300 and 2500 Series deliver impressive sound from a compact size that's a perfect companion for desktop or notebook PCs. These full-range speakers make a sensible choice when replacing or upgrading lesser units. For a broader audio experience, the 3200, 3300 and 5000 Series offer 2.1 channels through robust full-range speakers and down-firing subwoofers. The low frequency response adds deep, resonant tones that enhance listening enjoyment. Maximize gaming, music and movies with rich 5.1 channel sound from the 5000, 5100 and 8000 Series. Their two-way speakers and front-firing subwoofers draw listeners into the center of the action. A full-function remote control adjusts separate channel and volume levels from anywhere in the room. A full-function remote control adjusts separate channel and volume levels from anywhere in the room.

All models are crafted from durable, high-quality components with modern finishes that complement other peripherals and any décor. Shielded for use near monitors, these internally-powered systems require no external amplifier or power supply for a quick and easy installation.

8000 Series 5.1 Multimedia Speaker System

- Two-way speakers offer vivid sound reproduction – ideal for games, movies and music
- Front-firing subwoofer radiates deep bass response
- Separate bass control
- Floor stands elevate rear speakers to optimum listening height
- Full-function remote control adjusts settings from anywhere in the room
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 80 W + 20 W x 5

4 Satellites, 1 Center + Subwoofer, Silver

Subwoofer: 15 x 10.25 x 17.3 in.

(380 x 260 x 440 mm) (w x h x d)

Speakers: 3.95 diameter x 14.5 in. (100 x 360 mm)

Speaker Stand: 30 in. (76 cm) high

160988



5100 Series 5.1 Multimedia Speaker System

NEW

- Two-way speakers offer vivid sound reproduction – ideal for games, movies and music
- Front-firing subwoofer radiates deep bass response
- Separate volume, bass and mute controls with power meters
- Distinctive styling complements flat-panel monitors and decor
- Full-function remote control adjusts settings from anywhere in the room
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 20 W + 10 W x 5

4 Satellites, 1 Center + Subwoofer, Silver/Woodgrain

Subwoofer: 10.8 x 5.9 x 8.86 in. (275 x 150 x 225 mm) (w x h x d)

Speakers: 4.72 x 4.53 x 7.87 in. (120 x 115 x 200 mm) (w x h x d)

160889



5000 Series 5.1 Multimedia Speaker System

NEW

- Full-range speakers enhance multimedia experiences – ideal for games, movies and music
- Front-firing subwoofer radiates deep bass response
- Separate channel controls adjust to suit preferences, media and room acoustics
- Contemporary styling complements flat-panel monitors and decor
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 20 W + 5 W x 5

4 Satellites, 1 Center + Subwoofer, Black

Subwoofer: 10.8 x 5.9 x 8.86 in. (275 x 150 x 225 mm) (w x h x d)

Speakers: 3.75 x 3.15 x 4.75 in. (95 x 80 x 120 mm) (w x h x d)

160360



SPEAKERS

3300 Series 2.1 Multimedia Speaker System

NEW

- Full-range speakers deliver rich, powerful sound – ideal for games, movies and music
- Down-firing subwoofer radiates deep bass response
- Separate volume and bass controls
- Subtle design elements complement flat-panel displays and decor
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 20 W + 10 W x 2

2 Satellites + 1 Subwoofer, Black/Silver

Subwoofer: 8.5 x 6.6 x 9.45 in. (215 x 170 x 240 mm) (w x h x d)

Speakers: 3.15 x 3.5 x 5.25 in. (80 x 90 x 133 mm) (w x h x d)

160490



3200 Series 2.1 Multimedia Speaker System

NEW

- Full-range speakers deliver rich, powerful sound – ideal for games, movies and music
- Down-firing subwoofer radiates deep bass response
- Separate volume and bass controls
- Sleek, black cabinets complement flat-panel displays and decor
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 6 W + 1 W x 2

2 Satellites + 1 Subwoofer, Black/Silver

Subwoofer: 7.2 x 5.5 x 7.68 in. (185 x 140 x 195 mm) (w x h x d)

Speakers: 3.75 x 3.15 x 4.72 in. (95 x 80 x 120 mm) (w x h x d)

160520



2500 Series Speaker System

NEW

- Full-range, self-powered speaker system
- Volume control, headphone jack, LED power indicator
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 3 W x 2

2 Speakers, Black/Silver

Speakers: 3.75 x 3.64 x 6.8 in. (95 x 67 x 175 mm) (w x h x d)

160810



2300 Series Speaker System

NEW

- Full-range, self-powered speaker system
- Removable stands with tilt adjustment and optional wall mount
- Volume control, LED power indicator and cloth grills
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 3 W x 2

2 Speakers, Black/Silver

Speakers: 3.4 x 3.62 x 6.10 in. (87 x 92 x 155 mm) (w x h x d)

160780



2100 Series Speaker System

NEW

- Full-range, self-powered speaker system
- Volume control, headphone jack, LED power indicator and cloth grills
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 3 W x 2

2 Speakers, Black/Silver

Speakers: 2.8 x 3.70 x 6.7 in. (72 x 94 x 172 mm) (w x h x d)

160650



Case Mounted Speaker System

- Perfect for schools, offices and other environments with a lack of desk space
- Compact powered multimedia speaker system
- Dual magnetically shielded stereo speakers
- Built-in amplifier
- Transfers 2 USB ports to front of computer
- Volume control
- Convenient headphone jack
- 20 Watts PMPO

5.25 in. Bay Mount

Transfers 2 USB ports to front of computer

168670



The Home Entertainment and Computer worlds are coming closer together and MANHATTAN is there to meet your needs. We offer simple-to-install USB devices for video capture, sharing boxes, tuner cards and USB peripherals. Convert your aging analog VCR tapes to file format and burn to CD for safe storage; transform your PC to an entertainment station with our video capture cards and attachments; reduce equipment costs with switch boxes and sharing devices. And as always, all products come with a Lifetime Warranty.

MPEG-4 Audio/Video Capture Box

- Captures audio and video from source to your computer
- Hi-Speed USB 2.0 data transfer rate for best video recording
- Capable of 25 or 30 frames per second
- USB powered
- Plug and Play

174039



Hi-Speed USB 2.0 Video Grabber

- Hi-Speed USB 2.0 data transfer rate for best video recording
- Encoding in MPEG I / II format directly with Instant MPEG technology
- Up to 30 frames per second
- Snapshot function support
- Powerful video editing software with special effects
- Low power consumption – ideal for notebook / portable computers
- Supports brightness, hue, contrast, saturation, and sharpness controls
- Plug and Play
- No batteries required

171472



Hi-Speed USB 2.0 Audio/Video Grabber

- Hi-Speed USB 2.0 data transfer for best video recording
- Encoding in MPEG I/II format directly with Instant MPEG technology
- Up to 30 frames per second
- Snapshot function support
- Powerful video editing software
- Low power consumption – ideal for notebook/portable computers
- Supports brightness, hue, contrast, saturation, and sharpness control
- Plug and Play
- No batteries required

173582



USB Video Grabber

- Encoding in MPEG I/II format directly with Instant MPEG technology
- Up to 30 frames per second
- Snapshot function support
- Powerful video editing software with special effects
- Low power consumption – ideal for notebook / portable computers
- Supports brightness, hue, contrast, saturation, and sharpness control
- Plug and Play
- No batteries required

164184



Audio/Video Switchbox

- Manual switchbox for your electronic components – video game system, VCR, DVD, receiver, etc.
- 4 RCA Triple Cinch inputs
- 4 S-video inputs
- 1 RCA Triple Cinch output
- 1 S-video output
- 1 headphone output

174152



Video Switch with Projector-Sharing

- Allows any of 4 computers to display on 1 projector or monitor
- Supports: VGA, SVGA, XGA, and MultiSync video formats
- Wired remote for each computer
- Splits and extends

174176



Includes Cables

Monitor Cable

301091 DVI 29-pin Male / Triple RCA Male, 6 ft.

301107 HD15 Male / Triple RCA Male, 6 ft.

PC to TV Converter

- Converts a VGA signal into an S-Video or RCA signal – use your TV as a PC monitor
- Great for presentations, web-browsing, PC online games, pictures and movies
- Anti-flickering technology
- IR remote control options: Width + / -, Reset, Overscan – allows proper full-screen viewing, Colorbar – adjusts Color, tint and brightness, Power On / Off, Arrow keys, Freeze screen, Filter – anti-flickering adjustment, Recall, Save
- USB powered
- Plug and Play

174282



PCI Sound Card


NEW

- Easily installs in desktop computers to provide an enhanced multimedia experience
- Ideal for headphones and up to four-channel speaker systems
- Full-duplex playback and recording with sampling rate of up to 48 khz
- Supports HRTF 3D positional audio, DirectSound 3D and A3D interfaces
- Plug and Play, Windows compatible

173032 4 Channel with Game/MIDI port

173124 5 Channel with Game/MIDI port

175357 7 Channel




TV Tuner/Capture PCI Card

- Watch television and listen to FM radio on your computer
- Up to 125 cable channels available for surfing
- Capture video in AVI format at up to 640 x 480 resolution
- Capture single or a sequence of still images
- Wireless remote control with receiver, FM antenna, and software included
- Card includes: IR sensor input, FM input, Cable input, Audio output, S-video input, RCA video input, Audio input

174060


174077 With Intersvideo Home Theater 2.x



MPEG II TV Tuner/Capture PCI Card

- Made specifically for high end systems with Microsoft XP Media Center Edition
- Watch television (Full Screen or windowed) and listen to FM radio on your computer
- Program Guide for scheduling shows to record
- Up to 125 cable channels available for surfing
- Capture video in MPEG II format for best quality
- Capture audio in MPEG I layer 2 format
- Record FM radio in MP3 format
- Capture single or a sequence of still images
- Album feature for still image capture
- Power-up scheduling
- Wireless remote control with receiver, FM antenna, and software included
- Card includes: IR sensor input, FM input, Cable input, Audio output, S-Video input, RCA video input, Audio input

174053



TV Tuner

- Watch television, play video games, and view videos on your monitor at exceptional resolutions – up to 1280 x 1024
- Up to 125 cable channels (NTSC) / 106 channels (PAL) available for surfing
- PiP (picture-in-picture) support – View the TV image in a window
- PoP (picture-on-picture) support – preview 9 programs at the same time
- Superior noise reduction
- 29-key remote control
- Resolutions supported: 640 x 480 @ 60 Hz/75 Hz, 800 x 600 @ 60 Hz/75 Hz, 1280 x 768 @ 60 Hz/75 Hz (Mac), 1024 x 768 @ 60 Hz/75 Hz, 1280 x 1024 @ 60 Hz/75 Hz
- Input / output options: Cable input, Audio input/output, S-video input, RCA video input, VGA input/output

174190



Monitor Cable

301091 DVI 29-pin Male / Triple RCA Male, 6 ft.

301107 HD15 Male / Triple RCA Male, 6 ft.

INVASION OF THE KILLER MICE!



MANHATTAN™

BRINGING COMPUTERS TO LIFE





Introducing the new line of MANHATTAN Mice, featuring only the best-selling, time-proven products. You can now choose from a full-range of mice – compact mini, wireless and lighted to optical, scroll and Bluetooth-compatible devices.




Optical Mini-Mouse

- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multifunction wheel for scroll and zoom
- **800 dpi resolution**

Silver and Blue, USB
174107

Silver and Red, USB
174114

Silver and Black, USB
173780



Retractable Cable extends up to 30", Black, USB
173773

Lighted, Retractable Cable extends up to 30", Silver, USB
173766

173773

173766



High Performance Optical Mouse

NEW

- Multifunction wheel for scroll and zoom
- Optical Sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- **800 dpi resolution**

USB, Black and Silver
171861

USB, Blue and Silver
171793

USB, Red and Silver
171854



Standard Optical Mouse

- Multifunction wheel for scroll and zoom
- Optical Sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- **800 dpi resolution**

PS/2, Silver and Black
171540

USB, Silver and Black
176392



Related Product



Wrist-Rest
Mouse Pad
p. 73

Laser Optical Mouse

NEW

- Laser technology for precise tracking on nearly any desktop, even most glass or mirrored surfaces
- 30 times more sensitive than standard optical mice
- 3 buttons include multi-function wheel
- **1600 dpi resolution**

174916



Optical Scroll Touchpad Mouse

NEW

- Combines the speed and agility of a touchpad with the familiar mouse shape and functionality – no scroll wheel
- Four-way touchpad and two-button design improve scrolling performance for navigating Web browsers, spreadsheets and large documents
- Optical sensor offers 800 dpi resolution with pinpoint accuracy for use on nearly any surface
- Easy installation and maintenance; Plug and Play, with no moving parts to clean

USB

175975



Multimedia Optical Mouse

- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multimedia control: play / stop / pause / volume up & down / Internet back & forward
- Multi-function wheel for scroll and zoom
- Four-direction scroll - up/down/left/right
- Scrolls up to 30 lines per revolution - 25% more efficient than other mice
- **800 dpi resolution**

Multimedia, USB

173827

173827



Optical Multimedia Scroll Mouse
175982 USB

NEW

Sculpted

175982




Optical Scroll Mouse

- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multifunction wheel for scroll and zoom
- **600 dpi resolution**

USB, Silver and Black

173803



Multi-Axis, USB

173810

Optical Scroll Mouse

- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multifunction wheel for scroll and zoom
- **800 dpi resolution**

PS/2, Black

167697

USB, Black


171496

PS/2, White

167833

USB, White

167840



167833

167697

Standard Scroll Mouse

- Opti-mechanical technology - offers better resolution than standard mice
- Multifunction wheel for scroll and zoom
- **400 dpi resolution**

PS/2, Black

169844

USB, Black

169851

PS/2, Beige

165266

USB, Beige

165013



165266

169844

Presentation Track Ball Mouse

- RF wireless - line of sight not required
- Perfect for use with projectors
- Trigger-style laser pointer
- Requires 2 AAA batteries (included)
- **200 dpi resolution**

USB & PS/2
171069



Wireless Optical Mini-Mouse

NEW

- Compact design with built-in receiver storage compartment - perfect for notebook computers
- RF wireless with 1.0 m (3.2 ft.) operational range - no line of sight required
- Two buttons with multifunction wheel for scroll and zoom
- Optical sensor offers pinpoint accuracy on almost any surface
- No charger required; sleep mode saves battery power
- Easy installation; Plug and Play
- **800 dpi resolution**

USB, Built-In Receiver Storage
175968



Wireless Optical Mouse

- RF wireless - line of sight not required
- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- 2 Button mouse with multifunction wheel for scroll and zoom
- Smart Power Management - 2 to 3 month battery life under continuous use
- Low Battery indicator
- Requires 2 AA batteries (included)
- Includes compact receiver
- **800 dpi resolution**

USB
173797



Wireless Optical Mini-Mouse with Mini-Receiver

- RF wireless - line of sight not required
- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multifunction wheel for scroll and zoom
- **800 dpi resolution**

USB
173148



Wireless Optical Mouse with Rechargeable USB Base

NEW

- RF Wireless—Line of sight not required
- Multi-function wheel for scroll and zoom
- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Low battery indicator
- Requires 2 AA rechargeable batteries (included)
- Base unit charges backup set of batteries for uninterrupted performance
- **800 dpi resolution**

USB
174985



Wireless Multimedia Keyboard & Mouse Set

- 27 MHz RF technology
- Ergonomic layout
- 2 full-sized shift keys
- Sleekly styled optical mouse, keyboard and receiver
- 15 multimedia keys
- Internet functions: Forward/Back, Stop, Open E-mail, Search
- Audio / Video Playback: Next/Previous Track, Play/Pause, Volume Down/Up, Stop, Mute
- O/S Functions: Power/Sleep, Wake Up
- Up to 5 ft. operating range
- Power Management Mode

RF, PS/2, Black and Silver

172554



RF, USB, Black and Silver

175579

Deluxe Multimedia Keyboard

- Sleek, modern design
- Ergonomic layout
- 106 key keyboard
- 2 Full size Shift keys
- 27 Multimedia keys
- Internet functions: Forward/Back, Stop, Open E-mail, My Favorites, Search, Home, Refresh
- Audio/Video Playback: Media Select, Next/Previous Track, Play/Pause, Volume Down/Up, Stop, Mute
- O/S Functions: Power/Sleep, Calculator, My Computer, File Encryption, Open/Close Office Family, Scroll Up/Down, Left/Right Arrow, Outlook News, Game, Word, Excel

USB & PS/2 Combo, Black

171595

USB & PS/2 Combo, Beige

171588



Basic Multimedia Keyboard

- Ergonomic design
- Silent switch, tactile response
- 18 Multimedia keys
- Internet functions: Forward/Back, Stop, Open Email, My Favorites, Open Web Browser, Refresh
- Audio/Video Playback: Next/Previous Track, Play/Pause, Volume Down/Up, Stop, Mute
- Calculator

PS/2, Beige

171533

USB, Black

172417



Multimedia Keyboard/USB Hub Combo

- Provides 2 USB ports for additional peripherals
- 104 key standard keyboard
- Ergonomic Design
- Silent switch, tactile response
- 18 Multi-Media keys
- Internet Functions: Forward/Back/Stop/Home/Search/My Favorites/Open E-Mail/Refresh
- Audio/Video Playback: Next Track/Previous Track/Play/Volume Up/Volume Down/Stop/Mute/Media Select
- My Computer
- Calculator

USB with 2 Port USB Hub

174510



Slim Keyboard

- Space saving design
- Silent switch, tactile response
- 105 key keyboard
- 9 multimedia keys
- Internet functions: Open E-mail, My Favorites, Home, Search, Play/Pause, Volume Down/Up, Mute, Sleep

USB, Silver

174121



Enhanced Keyboard

- 107 key keyboard
- Silent key action
- Power, sleep, wake-up keys
- Membrane tactile switch

PS/2, Beige

170697

PS/2, Black

173599

USB, Beige

173223

USB, Black

175708



Roll-up Keyboard

- Virtually indestructible
- Dust and moisture-proof
- Roll-up for easy storage
- One-touch access: Internet, E-mail, Volume, CD Player, and more

USB & PS/2 Combo, Blue

172059



Numeric Keypad

- 19 keys
- Full-size keys for ease of use
- Ultra-slim and lightweight for portability
- LED indicator for Number Lock

USB

174169



GRAPHICS TABLETS

Graphics Tablet

- Complete with wireless pen and 2-button scroll mouse
- 1,024-level pressure sensitive, cordless pen
- Up to 4,064 lpi high resolution
- Customize pen button for fast browsing up/down and left/right
- Make handwriting notes/drawings on the Internet and in any application program
- Bundled UC-Logic PenSuite Pro software included
- Compatible with Windows 98/2000/Me/XP

5.5" x 4" Tablet Size

174572

8" x 6" Tablet Size

174459



Graphics Tablet Replacement Pen

- Replacement pen for MANHATTAN Graphics Tablets 174572 & 174459

175654



CARD READERS

Smart Card Reader

NEW

- Compatible with friction-type, contact smart cards
- Ideal for transactions and applications requiring secure information exchanges
- Supports host communication speeds up to 12 Mbps
- Plug and Play – installs quickly and easily

172844 USB, Contact Reader, External

175210 USB, Contact Reader, Internal, 3.5"



172844



175210

BARCODE SCANNERS

MANHATTAN® Barcode Scanners read the following codes:

- ALL UPC/EA/JAN
- Code 39
- Code 39 FULL ASCII
- Code 128
- Interleave 25
- Matrix 25
- CODABAR/NW7
- BC 412
- Code 11
- MSI/PLESSEY
- Code 93
- China Postage
- Code 32/Italian Pharmacy
- Industrial 25

Contact CCD Barcode Scanner

- Keyboard Wedge Decoder (data appears as if typed from the keyboard)

80 mm, USB

400367

80 mm, PS/2

460002



Long Range CCD Barcode Scanner

- Reads barcodes up to 12 in. away
- Keyboard Wedge Decoder (data appears as if typed from the keyboard)
- Easy to use, no software required

PS/2

400954

USB

400961



Barcode Scanner Gooseneck Stand

- Adjustable gooseneck
- Use as holder or scan directly from the stand
- 10 in. maximum height
- Table, counter or wall mount
- Compatible with MANHATTAN® 400954 and 400961 Barcode Scanners


401241



Barcode Scanner Stand

- For Manhattan Long Range CCD Barcode Scanners
- Tabletop/counter mount
- Use as holder or scan directly from the stand
- Compatible with MANHATTAN® 400954 and 400961 Barcode Scanners

401272



USB DATA TRANSFER

USB Line Extender

- Requires (1) RJ-45 Patch Cable of up to 150 ft.
- Embedded transceivers enhance signal and prevent signal loss
- Windows 98/Me/2000/XP & Mac OS compatible

171632



Hi-Speed USB 2.0 File Transfer Cable

- Quickly and Easily Transfer Files via USB Ports
- Hot pluggable - connect while computer is running
- No external power necessary
- Plug & Play - automatic detection and installation of peripherals
- Windows 98/Me/2000/XP compatible

USB A male to USB A male, 7 ft.

365437




USB File Transfer Cable

- Quickly and easily transfer files via USB ports
- Hot pluggable - connect while computer is running
- No external power necessary
- Plug & Play - automatic detection and installation of peripherals
- Windows 98/Me/2000/XP, Mac OS 8.6 and Mac OS 9.x compatible

USB A male To USB A male, 7 ft.

363792



Hi-Speed USB 2.0 Active Extension Cable

- Overcomes the 16 ft. USB distance limitation
- Bus powered - no external power required
- Maximum distance 50 ft.
- Windows 98/Me/2000/XP & Mac OS compatible

Extends And Boosts The Signal To Any USB Device

519779



USB DATA TRANSFER

USB Game Port Adapter **NEW**

- Enables analog game controllers to interface with USB connections
- Supports popular controllers and gaming modes
- Plug and Play and four-mode switch support easy installation and calibration

DB15 to USB

168199



Hi-Speed USB 2.0 to IDE Adapter with Power Supply **NEW**

- Connects one IDE external device to a Hi-Speed USB 2.0 port to transfer, back-up and store files
- Supports data transfer speeds of up to 480 Mbps
- Fits external IDE and enhanced IDE hard disks and CD/DVD drives up to 5.25"
- Supports 48-bit LBA for drives over 138 GB
- Plug and Play; Windows and Mac compatible; hotswappable

40-pin / 44-pin

205054



Hi-Speed USB 2.0 to SATA / IDE Adapter with Power Supply **NEW**

- Connects one SATA 150 or IDE external drive to a Hi-Speed USB 2.0 port to transfer, back-up and store files
- Transfers data between SATA 150 and IDE external drives when both are simultaneously attached
- Supports SATA 150 speeds up to 1.5 Gbps and Hi-Speed USB 2.0 speeds up to 480 Mbps
- Fits external SATA 150 and IDE hard disks and CD/DVD drives up to 5.25"
- Supports 48-bit LBA for drives over 138 GB
- Plug and Play; Windows compatible; hotswappable

3-in-1, L-type

516075



Hard Drive Adapter Cable **NEW**

- Connects one ATA or ATAPI external device to a Hi-Speed USB 2.0 port
- Easily transfer, back-up and store files using existing external hard disk, CD, DVD or IDE drives
- Supports data transfer speeds of up to 480 Mbps
- Plug and Play for quick and easy desktop PC or notebook installation

Hi-Speed USB 2.0 to 3.5" IDE

174602



Hard Drive Adapter Cable with Power Supply **NEW**

- Connects one SATA 150 external device to a Hi-Speed USB 2.0 port
- Quickly transfer, back-up and store files using existing SATA 150 external drives
- Ideal for external SATA devices without an enclosure – fits 2.5" to 5.25"
- Plug and Play for quick and easy desktop PC or notebook installation

Hi-Speed USB 2.0 to SATA 150 (L-type)

205078



USB DATA TRANSFER

Multimedia Access Panel

- Transfer ports to the front of the PC for convenient access
- 2 USB ports
- FireWire IEEE 1394 port
- Headphone port
- Microphone port

169752 Beige

170673 Black



Internal Card Reader

NEW

- Compatible with CompactFlash, Microdrive, Magicstore, Memory Stick, MagicGate, SecureDigital, Multimedia, SmartMedia and TransFlash
- Supports automatic card detection, hot swapping and Plug-and-Play
- Convenient front-mount USB port
- Data transfer rates up to 480 Mbps

701419 Beige

700344 Black




Multi-Card Reader with Built-In Multimedia Panel

NEW

- Easily access cards and manage content with slot-to-slot, drag-and-drop capability
- Compatible with CompactFlash, Microdrive, Memory Stick, MagicGate, SecureDigital and Multimedia
- Supports automatic card detection, hot swapping and Plug-and-Play
- Convenient front-mount USB, FireWire, microphone and audio ports

702744 Beige

702775 Black



Universal Card Reader

- Supports Hot Swapping
- Supports Drag and Drop between card slots
- Automatic Card Detection

175432



USB 2.0 Floppy Disk Drive

- Slim design - ideal for desktop and notebook computers
- Plug and Play - automatic detection and installation
- No external power required
- Windows 98/2000/Me/XP and Mac OS 9.1, 9.2.2, 10.1 and 10.2 compatible

700856

USB CONVERTERS

Serial To USB Converter

- Connects a modem, Palm PC, digital camera or any serial device to a USB port
- Supports baud rates from 1.2 kbps to 115.2 kbps
- Windows 98/Me/2000/XP compatible

205146

Dual Serial To USB Converter

- Connects up to two modems, Palm PCs, digital cameras or any serial (RS-232) devices to a USB port
- Supports baud rates from 1.2 k to 115.2 k
- Windows 98/Me/2000/XP compatible

174947

USB to SCSI II Converter

- USB A to DB50/HP male (SCSI II)
- Use existing SCSI peripheral devices
- Windows 98/Me/2000 compatible

326605

Parallel Printer to USB Converter, Cen36 Male to USB A

- IEEE 1284 Compliant
- Plug & Play - automatic detection and installation of peripherals
- Windows 98/Me/2000/XP compatible

317474

Parallel to USB Converter, DB25 to USB A

- Creates a printer compatible DB25 F port
- Windows 98/Me/2000/XP compatible

336581 7 ft

Dual PS/2 to USB Converter

- Connects a PS/2 mouse and keyboard on a USB port
- No external power required
- Support: Windows 98/Me/2000/XP, Mac OS 8.6 above

364966

SVGA To Hi-Speed USB 2.0 Converter

- Allows an additional video display
- Supports resolutions of up to 1024 x 768 in 32 bit color
- Hot pluggable - connect while computer is running
- No external power necessary
- Plug & Play - automatic detection and installation of peripherals
- Mirror function
- Windows 2000/XP compatible

174145

USB ADAPTERS

Hi-Speed USB 2.0 Infrared Adapter

- Provides convenient data transfer for PDAs, notebooks, printers, mobile phones, or any other Infrared device
- Up to 3.3 ft. operating range
- IrDA 1.0 and 1.1 compliant
- 2,400 bps to 4 Mbps transfer rates
- Windows 98/Me/2000/XP compatible

171656

Bluetooth Adapter

- Establishes wireless connections between Bluetooth-enabled computers, peripherals and other devices
- Piconet and scatternet compatible
- Built-in security and protective cover
- Plug and Play installation; Windows 2000/XP compatible

176088 Hi-Speed USB 2.0, Class 2, Range 33 ft.

176071 Hi-Speed USB 2.0, Class 1, Range 328 ft.

USB HUBS

Hi-Speed USB 2.0 Hub, 7 Ports

- Provides 7 Hi-Speed USB 2.0 ports for additional peripherals
- Compact size - ideal for both desktop and notebook computers
- Overcurrent protection
- Bus and AC powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

519816



Hi-Speed USB 2.0 Pocket Hub, 4 Ports

- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Compact size - ideal for both desktop and notebook computers
- Bus powered
- Overcurrent protection
- Compatible with all USB-equipped computers
- 100% hot-swappable

4 Port, Bus Powered

522717



4 Port, With Power Adapter, Bus or AC Powered

519380

Hi-Speed USB 2.0 Micro Hub, 4 Ports NEW

- Provides four Hi-Speed USB 2.0 ports for additional peripherals
- Over-current protection
- Bus or AC powered
- Compact size — ideal for both desktop and notebook computers
- Compatible with all USB-equipped computers
- Plug and Play; Windows compatible; hot-swappable

167055



Hi-Speed USB 2.0 Mini Hub

- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Overcurrent protection
- Bus or AC powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

4 Port, With External Power

522977

Utilizes
space-saving
power adapters



Hi-Speed USB 2.0 Mini Hub

- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Overcurrent protection
- Bus powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

4 Port, Bus Powered

522892



USB Pocket Hub, 4 Ports

- Provides 4 USB ports for additional peripherals
- Compact size - ideal for both desktop and notebook computers
- Bus powered
- Overcurrent protection
- Compatible with all USB-equipped computers
- 100% hot-swappable

516419



USB HUBS

Easy Dock Multi-Port Docking Station

- Compact size - ideal for both desktop and notebook computers
- 4 port Hi-Speed USB 2.0 hub
- 10/100 RJ-45 port
- DB9 serial port
- 2 PS/2 ports
- Overcurrent protection
- USB ports are hot-swappable
- LED indicators on all ports
- Windows 98SE/Me/2000/XP compatible

172905



USB Sharing Hub

- Ideal for connecting a notebook and a home PC to your USB devices
- Individual toggle switches to select USB devices for each computer
- 2 Ports for connecting to 2 different computers
- Bus powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

519694



Share 4 USB Devices Between 2 Computers

519694


Share 4 Hi-Speed USB 2.0 Devices Between 2 Computers

522908

Hi-Speed USB 2.0 6 Port Kit

- Four-port bay mount hub for easy access
- 2 port PCI card for rear access
- Each port supports Hi-Speed USB 2.0 transfer rates of up to 480 Mbps
- 100% compatible with all USB devices

174688



Multimedia Access Hub

- Moves USB, PS/2, and audio ports to the top of your desk for easy access
- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Speaker / microphone audio ports
- Keyboard / mouse PS/2 ports
- Overcurrent protection
- Bus powered
- USB ports are hot-swappable

8 Port, Bus Powered

174244



Hi-Speed USB 2.0 Internal Hub, 4 Ports

- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Mounts in any 3.5 inch drive bay
- Overcurrent protection
- Bus powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

349284



USB Voice Over IP Desktop Phone

- Seamless support of Skype®, MSN® Messenger, Yahoo® Messenger, etc.
- Commercial grade, high quality speakerphone
- Caller ID function
- Echo cancellation and noise reduction
- Desktop phone look with Ringer, Keypad, Handsfree, Redial and other functions
- Direct call function
- Full duplex communications
- No external power necessary
- Driver and audio chip built-in

903028 Includes Large LCD Screen With Backlight



USB Voice Over IP Phone

- Perfect for PC-to-PC and PC-to-Phone operations
- Seamless support of Skype®, MSN® Messenger, Yahoo® Messenger, etc.
- Adjustable Volume Control, Hold, and Mute Buttons
- Mobile phone look with ringer and keypad
- Full duplex communications
- No external power necessary


903004



USB Voice Over IP Phone with LCD Display

- Perfect for PC to PC and PC to phone operations
- Seamless support of Skype®, MSN® Messenger, Yahoo® Messenger, etc.
- Caller ID function
- Echo cancellation and noise reduction
- Mobile phone look with ringer and keypad
- Full duplex communications
- No external power necessary
- Driver and audio chip built-in

903011 Includes LCD Screen



USB Voice Over IP Base Station

- Seamless support of Skype®, MSN® Messenger, Yahoo® Messenger, etc.
- Adds a lighted dial pad with Volume Up/Down, Speakerphone, and Answer/Hang-Up buttons
- Includes a 6 Port Hi-Speed USB 2.0 Hub
- Audio Switchbox - Toggle between speakers and headset

522397



USB Voice Over IP Analog Phone Adapter

- Convert your normal phone/cordless phone to a dual function phone with VoIP support
- Perfect for PC to PC, PC to Phone and Phone to Phone operations
- Seamless support of Skype
- Supports DECT, 2.4 GHz, 900 Mhz and any other wireless phones
- Make/receive both VoIP calls and regular PSTN calls
- Auto-detection and auto-switch to VoIP and PSTN calls
- Phone rings for all incoming VoIP and PSTN calls
- Outgoing VoIP or PSTN calls selected by phone key (*)
- Dial using the phone keypads
- Echo cancellation and noise reduction
- Full duplex communications
- No external power necessary
- Driver and sound card built-in

903035



MANHATTAN Web Cameras help improve online communications and experiences with high quality photos and video. With simple, one-button operation and easy-to-use software, these cameras capture crisp and clear images and smooth, steady video to share with family and friends. Their compact size and Plug and Play installation make them ideal accessories for desktop and notebook PCs at home, in the office or on the road.

Product Summary

Model	460668	460378	460385	460385	460385	460385
Product name	Mini Cam	Mini Cam	Pro Cam	Pro Cam	Mega Cam	Mega Cam
Headset	No	Single ear-head	No	Single ear-head	No	Single ear-head
Microphone	No	Built-in + flexible boom	Built-in	Built-in + flexible boom	No	Built-in + flexible boom
Color	Black and blue with black	Black and silver	Black	Black	Black	Black
Pixel	300k	350k	350k	350k	1.3M	1.3M
Image format	MJPEG	MJPEG	MJPEG	MJPEG	MJPEG	MJPEG
Resolution	Up to 640 x 480 (VGA)	Up to 640 x 480 (VGA)	Up to 640 x 480 (VGA)	Up to 640 x 480 (VGA)	Up to 1280 x 1024 (1080p)	Up to 1280 x 1024 (1080p)
Frame rate	Up to 30 frames/second	Up to 30 frames/second	Up to 30 frames/second	Up to 30 frames/second	Up to 30 frames/second	Up to 30 frames/second
Lens type	(AF) (A) + focus ring	(AF) (A) + focus ring	(AF) (A) (glass) + focus ring	(AF) (A) (glass) + focus ring	(AF) (A) (glass) + focus ring	(AF) (A) (glass) + focus ring
Lens diameter	8 mm (1/4")	8 mm (1/4")	8 mm (1/4")	8 mm (1/4")	12 mm (1/2")	12 mm (1/2")
Lens angle	60 degree diagonal	60 degree diagonal	60 degree diagonal	60 degree diagonal	60 degree diagonal	60 degree diagonal
Focus distance	30 mm to infinity	30 mm to infinity	30 mm to infinity	30 mm to infinity	30 mm to infinity	30 mm to infinity
Mounting type	Base with mounting clip	Base with mounting clip	Flexible USB mount, 0.1 m (1.1 in.)	Flexible mount on weighted base + audio ports	Flexible USB mount, 0.1 m (1.1 in.)	Flexible mount on weighted base + audio ports
Lighting	No	No	White and infrared LED, built-in	White and infrared LED, built-in	White and infrared LED, built-in	White and infrared LED, built-in
Connectivity	USB	USB	USB	USB, 3.5 mm stereo plug	USB	USB, 3.5 mm stereo plug
Software	Yes	Yes	Yes	Yes	Yes	Yes
Brightness control	No	No	No	No	No	No
Exposure control	No	No	No	No	No	No
Power consumption	120 mW	120 mW	120 mW	120 mW	120 mW	120 mW
Operating system	Windows XP/Vista/Windows 7	Windows XP/Vista/Windows 7	Windows XP/Vista/Windows 7	Windows XP/Vista/Windows 7	Windows XP/Vista/Windows 7	Windows XP/Vista/Windows 7
Installation	Plug and Play	Plug and Play	Plug and Play	Plug and Play	Plug and Play	Plug and Play
LED indicator	Power	Power	No	No	No	No
Dimensions, overall	100 x 44 x 81 mm (4.0 x 1.7 x 3.2 in.)	100 x 44 x 81 mm (4.0 x 1.7 x 3.2 in.)	104 x 52 x 85 mm (4.1 x 2.1 x 3.3 in.)	104 x 52 x 75 mm (4.1 x 2.1 x 3.0 in.)	104 x 52 x 85 mm (4.1 x 2.1 x 3.3 in.)	104 x 52 x 75 mm (4.1 x 2.1 x 3.0 in.)
Weight	75.7 g (2.7 oz.)	102 g (3.6 oz.)	84.7 g (3.0 oz.)	100 g (3.5 oz.) with base	84.7 g (3.0 oz.)	100 g (3.5 oz.) with base
Warranty	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime

Mini Cam **NEW**

- Capture and share photos and video — software simplifies settings and operation
- Compact size for easy storage and transport
- Adjustable clip base for easy attachment to laptop or desktop systems
- Ready to use — Plug and Play installation; Windows compatible

460668 USB, 300k Pixels



Mini Cam **NEW**

- Compatible with popular instant messengers for enhanced online communications
- Capture and share photos and video — software simplifies settings and operation
- Sturdy base with clip and adjustable post folds for travel and mounts almost anywhere
- Ready to use — Plug and Play installation; Windows compatible

460378 USB, 350k Pixels

460385 USB, Headset, 350k Pixels

460378



460385



Built-in microphone and flexible boom for hands-free conversations

Pro Cam

NEW

- Compatible with popular instant messengers for enhanced online communications – includes built-in microphone
- White and infrared LED lighting improves images in low-light and other conditions
- Capture and share photos and video – software simplifies settings and operation
- Flexible USB mount ideal for notebook PCs and travel
- Ready to use – Plug and Play installation; Windows compatible

460392 USB, Built-In Lighting and Microphone, 300k Pixels

460408 USB, Headset, Built-In Lighting, 300k Pixels



Built-in microphone
and flexible gooseneck
mount for hands-free
conversations



460392



460408



Mega Cam

NEW

- Compatible with popular instant messengers for enhanced online communications
- White and infrared LED lighting improves images in low-light and other conditions
- Capture and share photos and video – software simplifies settings and operation
- Flexible gooseneck mount ideal for notebook PCs and travel
- Ready to use – Plug and Play installation; Windows compatible

460415 USB, Built-In Lighting, 1.3 M Pixels


460422 USB, Headset, Built-In Lighting, 1.3 M Pixels



460415



460422





**LIFETIME
WARRANTY**

Wireless is Now Child's Play

Introducing Wireless Networking from INTELLINET NETWORK SOLUTIONS, featuring only the best-selling, time-proven products. You can now choose from a range of wireless access points and wireless network adapters that allow you to easily connect your desktop or notebook computer to a wireless network.



INTELLINETTM
N E T W O R K S O L U T I O N S

BRINGING NETWORKS TO LIFE

Instantly Add Storage and More to Any Small Network

Applications:

In the Office


- ✓ Provide additional storage for everyone on your network
- ✓ Run an FTP server for file upload and download
- ✓ Share files between different operating systems
- ✓ Back up data from networked PCs and Macs
- ✓ Back up data from other servers

In the Home

- ✓ Store media files for networked MP3/Media players and computers
- ✓ Back up home computers
- ✓ Share files, media, and pictures with all networked computers
- ✓ Make files available while away from home
- ✓ Run an FTP server without leaving the computer on
- ✓ Have personal/private storage for each family member

Product Summary


Product Attribute	NAS Enclosure	Network Storage Adapter	Network Attached Storage Appliance	SOHO Server Appliance	SOHO Server Plus
Model	700351	522496	501712	501705	508018
Cross Platform File Sharing	✓	✓	✓	✓	✓
Includes Storage Media	-	-	-	-	-
Supports External Storage Media	-	✓	✓	✓	✓
Supports Internal Hard Drives	✓	-	✓	✓	✓
Internal Storage Capacity	400 GB	-	400 GB	400 GB	2 x 500 GB
RAID 1 Support (Mirroring)	-	-	-	-	✓
Data Network Transfer Rate	24 Mbps	24 Mbps	28 Mbps	28 Mbps	21 Mbps
Self Repairing & Defragmentation	✓	✓	✓	✓	✓
Router	-	-	-	✓	✓
Firewall	-	-	-	✓	✓
VPN Support	-	-	-	✓	✓
4-Port Fast Ethernet LAN Switch	-	-	-	✓	✓
FTP Server	✓	✓	✓	✓	✓
Print Server	-	✓	✓	✓	✓
Web Server	-	-	-	✓	✓
E-mail Server	-	-	-	✓	✓
CD/DVD Burning Wizard	-	-	-	-	✓



NAS Enclosure **NEW**

- Quick and easy installation of additional network storage
- Windows network file sharing
- Holds one IDE hard drive (up to 400 GB), CD-ROM, CD-RW, DVD-ROM, DVD-RAM or tape drive (not included)
- Hi-Speed USB connection allows use as an external USB disk drive enclosure
- DHCP server, FTP server and Samba server functionality
- Easy Web-based configuration via Web browser

700351



Network Storage Adapter **NEW**

- Convenient small size
- Supports up to 4 USB external drives
- Compatible with most USB storage devices (thumb drives or external hard drives up to 400 GB, not included)
- Self repairing and defragmentation for data integrity and performance
- Includes built-in USB print server
- FTP server included (share files via FTP client or browser)
- Installs quickly and easily
- No user licensing to purchase
- Easily create users for access
- Configuration over networked PC's Web browser
- Firmware update via HTTP
- Compact design - Portable
- Supports CIFS, FTP, HTTP, NFS, AFP 2.2 protocols
- User and share folder level security
- Optimized to use the maximum amount of space on hard drives


522496



Network Attached Storage (NAS) Appliance

- Cross platform file sharing (Windows®, Apple®, Linux®)
- Easily create user and groups for access
- User and share folder level security
- Includes built-in USB print server
- FTP server included (share files via FTP client or browser)
- Uses inexpensive 3.5" ATA hard drives (up to 400 GBytes, HDD not included)
- Supports 2 USB external hard drives
- Self repairing and defragmentation for data integrity and performance

501712




SOHO Server Appliance

All-in-One Device
NAS/Router/Switch/VPN/Firewall/Print Server/Web Server/E-mail Server

- Multi-function appliance takes up less space
- Network Attached Storage (see 501712 above)
- 4-port auto-sensing LAN switch
- VPN server
- Router and firewall
- Provides DHCP server functionality
- Includes built-in USB print server
- FTP server included (share files via FTP client or browser)
- Web server supports static HTML pages
- E-mail server supports POP3 and SMTP protocol
- Supports standard 3.5" IDE HDDs, up to 400 GB
- Supports 2 USB external hard drives


501705



SOHO Server Plus **NEW**

- All-in-one device (NAS, router, switch, VPN, print/Web/email server)
- Four Hi-Speed USB ports for external USB hard drives and printers
- Quick and easy installation of additional network storage
- Cross-platform file sharing (Windows, Linux & Mac)
- Holds up to two internal IDE hard drives up to 500 GB each (not included)
- RAID support Level 1 (mirroring)
- UPNP media server

508018



Introducing the revolutionary...

**Attention:
All IT Administrators -
Problem Solved!**

GUESTGATE™ Internet Access Device




Provide Guests with Instant Internet Access While Keeping Your Network Secure.

Now you can easily accommodate guests in your offices, such as consultants, auditors, professional service providers, manufacturing representatives and clients, without burdening your IT administrator with last-minute LAN configuration requests. Simply install the GUESTGATE Internet Access Device, and your visitors will be able to access the Internet from your conference room, offices or other accommodations in your facility, without compromising the security of your network.

- Provides instant guest access to the public network
- Host Network Protection (HNP) technology protects the host network from guests
- IP Plug and Play for configuration-free client operation
- No configuration required, GUESTGATE automatically detects the network settings
- Additional setup functions can be performed by IT Administrator using Web-based User Interface
- Client isolation through Layer 3 VLAN Technology
- Bandwidth Control (upstream & downstream)
- Password option for Internet access
- Packet filter for IP addresses, domains and TCP/IP service ports
- Customizable welcome page (banner and text changeable)
- Firmware upgrade through Web-based user interface
- Plug & Play experience for your guests

523240



For more information on this technology break-through, visit www.guestgate.com

**INCLUDES
POWER
SUPPLY**

ATX Mid-Tower Case

- 4 x 5.25 in bays; 2 x 3.5 in bays; 5 x internal bays
- 4 x front USB ports; 1 x 1394 Firewire port; 1 x Headphone & Microphone port
- Cooling Capacity: up to 5 x 80 mm case fans-2 x rear; 2 x front; 1 x top
- Handle on top for ease of carrying
- Folded Edges- No cuts during installation
- 350 W Power Supply Included

101004 Black & Silver



ATX Mid-Tower Case

- 4 x 5.25 in bays; 2 x 3.5 in bays; 5 x internal bays
- 2 x front USB ports; 1 x 1394 Firewire port; 1 x Headphone & Microphone port
- Cooling Capacity: up to 3 x 80 mm case fans-2 x rear; 1 x front
- Folded Edges- No cuts during installation

101011 350 W, Beige

101028 350 W, Black

**INCLUDES
POWER
SUPPLY**



**INCLUDES
POWER
SUPPLY**

Rack Mount ATX Case

- 300 W UL power supply included
- Fits any standard 19" rack or enclosure
- 4 U rack mount case
- Drive space for 5.25" x 3 (exposed), 3.5" x 1 (exposed) and 3.5" x 2 (hidden)
- Ball-Bearing Cooling Fan, 12 cm

169240 Black



Contact your Account Representative for additional PC Case availability.

HI-SPEED USB 2.0 CARDS


Hi-Speed USB 2.0 PCI Card

- Each port supports Hi-Speed USB 2.0 transfer rates of up to 480 Mbps
- VIA chipset
- Windows 98SE/Me/2000/XP compatible


169011 3 External & 1 Internal Ports

167741 2 External Ports

171557 4 External Ports



169011



167741



171557

Hi-Speed USB 2.0 PC Card

- Each port supports Hi-Speed USB 2.0 transfer rates of up to 480 Mbps
- Compatible with any 32 bit PC Cardbus Type II PCMCIA slot
- NEC chipset
- Windows 98SE/Me/2000/XP & Mac OS 8.6 and above compatible

516167 2 Ports




FIREWIRE® CARDS

FireWire PCI Card

- Each port supports FireWire speeds of up to 400 Mbps
- Compliant with IEEE 1394-1995 and IEEE Proposal 1394A
- VIA chipset
- Windows 98SE/Me/2000/XP compatible

167024 3 External Ports

168588 3 External Ports Plus Video Editing Software



168588

FireWire PC Card

- Each port supports FireWire speeds of up to 400 Mbps
- Compliant with IEEE 1394-1995 and IEEE Proposal 1394A
- Windows 98SE/Me/2000/XP compatible

512411 2 External Ports



Related Product




CMOS Battery
432528

MODEMS

56 K Modem PC Card

- Supports data transmission up to V.92 (56 kbps data download rate & 33.6 kbps data transmit rate)
- Supports fax transmission up to V.29 (9,600 bps transmission rate)
- Supports voice transmission including software speakerphone
- Hayes compatible for instant installation


155427 Data / Fax / Voice Modem



56 K Modem PCI Card

- Supports data transmission up to V.92 (56 kbps data download rate & 33.6 kbps data transmit rate)
- Supports fax transmission up to V.29 (9,600 bps transmission rate)
- Supports voice transmission including software speakerphone
- Hayes compatible for instant installation
- Windows 3.1x / 95 / 98 / Me / 2000 / XP & DOS / Linux compatible

153577 Data / Fax / Voice Modem



56 K USB External Modem

- Easy USB installation – no external power supply needed
- Quick Connect, Modem On-Hold, auto dial/answer, tone/pulse dialing and improved download speeds
- Supports Digital Telephone Answering Machine (TAM) and point-to-point video telephony and conferencing
- Downstream speeds up to 56 kbps

154048



CONTROLLER CARDS

SATA 150 Controller PCI Card

- Supports SATA 150 data transfer rates of up to 1.5 Gbps
- Supports RAID Level 0 (striping)
- Supports RAID Level 1 (mirroring)
- RAID functionality requires at least 2 hard drives
- Windows 98SE/Me/NT/2000/XP compatible

172943 2 Internal Ports



SATA II PCI Express Card

NEW

- Supports 1-lane 2.5 Gbps PCI Express and SATA II transfer rate of 3.0 Gbps
- Native Command Queuing (NCQ) and Legacy Command Queuing (LCQ) support maximizes drive efficiency and reduces latency
- Fits regular or low profile PCI slots
- Silicon Image chipset
- Drivers and manual included
- Windows NT/2000/Server 2003/XP compatible

150040



SATA 150 CardBus PC Card

NEW

- Adds 2 SATA ports to notebook for external storage access
- Each port supports transfer rates of up to 1.5 Gbps
- Silicon Image chipset
- Driver CD and manual included
- Windows 98/Me/NT 4.0/2000/XP compatible

150019



Related Product



CMOS Battery
432528

CONTROLLER CARDS

Internal SATA 150 To External SATA 150 Bracket

- Supports data transfer speeds up to 1.5 Gbps
- Connects external H-type SATA 150 devices to internal L-Type SATA 150 controllers
- Flat internal cable design for more efficient airflow
- Fits regular PCI slots

150026



Internal SATA 150 To External SATA 150 Bracket **NEW**

- Supports data transfer speeds up to 1.5 Gbps
- Connects external H-type SATA 150 devices to internal L-Type SATA 150 controllers
- Flat internal cable design for more efficient airflow
- Fits regular PCI slots

300803 L-Type To I-Type Bracket, 12 in., 1 Port

374934 I-Type to L-Type Bracket, 18.5 in., 1 Port



Low Profile SATA PCI Host Adapter with RAID 1

- Four serial ATA interfaces support transfer rates of 1.5 Gbps
- Supports RAID 0 (striping), RAID 1 (mirroring), RAID 0+1 (mirrored-striping) and RAID 1+S (mirrored-sparing)
- Fits regular or low profile PCI slots


172592



Ultra ATA/133 Controller PCI Card

- Supports up to 4 IDE/ATA devices
- Supports RAID Level 0 (striping)
- Supports RAID Level 1 (mirroring)
- Supports RAID Level 0+1 (mirrored striping)
- 100% compatible with all IDE hard drives, DVD, CD-ROM and ZIP drives
- Fits regular or low profile PCI slots

168298




SATA/IDE CONVERTERS

IDE to SATA 150 Converter

- Use with any IDE hard drive, DVD, CD or CD-RW drive
- Allows IDE drives to operate with SATA 150 controllers
- 1.5 Gbps transfer rate
- SATA 1.0 compliant

170598 Vertical Connection

172202 Horizontal Connection



Related Product




CMOS Battery
432528

SATA 150 to IDE Converter

- Supports Any SATA 150 Device with transfer rates of up to 1.5 Gbps
- Mini-Board Design Minimizes Wasted Space
- Vertical bridge

170000



SERIAL CARDS

Serial PCMCIA Card

- Creates a DB9 Com port
- Fast 16C950 high-performance UART chipset
- Compatible with any 32 bit PC Cardbus Type II PCMCIA slot
- Windows 98SE/Me/2000/XP compatible

171519 1 External DB9 Port



Serial PCI Card


- One high-speed 16550 UART serial DB9 Com port
- Maximum throughput of 115.2 kbps
- Fully supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Windows 98SE/Me/2000/XP compatible

165976 1 External DB9 Port

165273 2 External DB9 Ports

175586 4 Port Adapter

NEW



Low Profile Serial PCI 2.2 Compliant Card

- 80 mm bracket for use with Flex or Slim-line cases
- One High-speed 16550 UART serial DB9 Com port
- Fully supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Windows 95 / 98SE/Me/2000/XP compatible

166614 1 External DB9 Port



PARALLEL CARDS

Parallel PCI Card

- Supports EPP and SPP modes
- Fully Supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Compatible with ISA parallel port addresses for use with legacy devices
- Windows 98/Me/2000/XP & DOS / Linux compatible

324007 1 External DB25 Port



Dual Parallel PCI Card

- Supports EPP, ECP, BPP and SPP modes
- Fully supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Compatible with ISA parallel port addresses for use with legacy devices
- Windows 98/Me/2000/XP & DOS / Linux compatible

165297 2 External DB25 Ports



Related Product



CMOS Battery
432528

ATX COMPUTER POWER SUPPLIES

- 12 V DC "low noise" internal fans
- Integrated on/off power switch
- Short circuit protection for reliable operation
- Lifetime Warranty



174015

MANHATTAN ATX Power Supplies make an ideal replacement or upgrade solution for desktop computers. A new power supply can provide improved system stability and component safety while enhancing overall performance.

Features						Connections						
Part Number	Wattage	UL Listed	Fan Type	PFC	Number of Fans	20 Pin Motherboard	4 Pin Molex Power	4 Pin Floppy	P4	6 Pin Aux	SATA Power	Thermal Sensor
Good												
166119 ATX, P4 Compatible, 500 Watt, Dual Fan	500	No	Sleeve	No	2	✓	4	1	✓			
166065 ATX, P4 Compatible, 400 Watt	400	No	Sleeve	No	1	✓	4	1	✓			
Better												
166768 ATX, P4 Compatible, 300 Watt	300	No	Sleeve	No	1	✓	4	2	✓			
168519 ATX, P4 Compatible, 350 Watt	350	No	Sleeve	No	1	✓	5	2	✓			
Best												
173971 ATX, P4 Compatible, 235 Watt, Passive PFC	235	Yes	Sleeve	Passive	1	✓	4	2	✓	✓		
173988 ATX, P4 Compatible, 350 Watt, Passive PFC	350	Yes	Sleeve	Passive	1	✓	6	2	✓	✓	1	
174008 ATX, P4 Compatible, Dual Fan, 420 Watt, Active PFC	420	Yes	Sleeve	Active	2	✓	6	2	✓	✓	1	
174015 ATX, P4 Compatible, Dual Fan, 450 Watt	450	Yes	Ball Bearing	Active	2	✓	7	2	✓	✓	1	✓

ATX 20-to-24 Pin Adapter

- Connector: 20-pin female to 24-pin male.
- Ideal for converting 20-pin ATX power supply to 24-pin Motherboard.
- Extends the length of ATX motherboard power supply cable

370219 Power Adapter, 5 in.



EXTERNAL HARD DRIVE INTERFACE SOLUTIONS

MANHATTAN External Enclosures can help quickly and easily transfer, share and archive data and expand storage capacities for desktop and notebook PCs. These durable, compact enclosures feature aluminum construction to help dissipate heat and protect vital data from loss.

External Enclosure, eSATA/Hi-Speed USB 2.0

NEW

- Supports data transfer rates for Hi-Speed USB 2.0 up to 480 Mbps and SATA up to 3 Gbps
- Lightweight, compact design increases portability
- Sturdy aluminum case protects drive and facilitates cooling
- Fits standard 3.5" SATA drives with easy, quick installation
- Windows and Macintosh compatible, Plug and Play, hot swappable

702959 3.5"


Hard Drive Adapter Cable with Power Supply

NEW

- Connects one SATA 150 external device to a Hi-Speed USB 2.0 port
- Quickly transfer, back-up and store files using existing SATA 150 external drives
- Ideal for external SATA devices without an enclosure – fits 2.5" to 5.25"
- Plug and Play for quick and easy desktop PC or notebook installation

Hi-Speed USB 2.0 to SATA 150 (L-type)

205078


Hi-Speed USB 2.0 to SATA/IDE Adapter with Power Supply

NEW

- Connects one SATA 150 or IDE external drive to a Hi-Speed USB 2.0 port to transfer, back up and store files
- Transfers data between SATA 150 and IDE external drives when both are simultaneously attached
- Supports SATA 150 speeds up to 1.5 Gbps and Hi-Speed USB 2.0 speeds up to 480 Mbps
- Fits external SATA 150 and IDE hard disks and CD/DVD drives up to 5.25"
- Supports 48-bit LBA for drives up to 500 GB
- Plug and Play; Windows compatible; hotswappable

516075 3-in-1


Slim External Enclosure

NEW

- Supports data transfer rates for Hi-Speed USB 2.0 up to 480 Mbps and FireWire IEEE 1394 up to 400 Mbps
- Lightweight, compact design increases portability
- Sturdy aluminum case protects drive and facilitates cooling
- Slim profile fits CD and DVD drives with easy, quick installation
- Windows and Macintosh compatible, Plug and Play, hot swappable

702928 Hi-Speed USB 2.0, FireWire


External Enclosure, IDE/Hi-Speed USB 2.0

- Supports Hi-Speed USB 2.0 data transfer rates of up to 480 Mbps
- Lightweight, compact design requires no external power adapters for increased portability
- Sturdy aluminum case protects drive and facilitates cooling
- Fits standard (IDE) drives with easy, quick installation
- Windows and Macintosh compatible, Plug and Play, hot swappable

702898 2.5"

702935 3.5", On/Off Switch

702966 5.25", On/Off Switch


702898



702935



702966

External Enclosure, FireWire/Hi-Speed USB 2.0
NEW

- Supports data transfer rates for Hi-Speed USB 2.0 up to 480 Mbps and FireWire IEEE 1394 up to 400 Mbps
- Lightweight, compact design increases portability
- Sturdy aluminum case protects drive and facilitates cooling
- Fits standard 3.5" PATA (IDE) drives with easy, quick installation
- Windows and Macintosh compatible, Plug and Play, hot swappable

702904 2.5"

702942 3.5"

702973 5.25"


702942

External Enclosure with 8-in-1 Card Reader
NEW


- Supports Hi-Speed USB 2.0 data transfer rates of up to 480 Mbps
- Reads eight popular flash memory card formats with convenient one-touch copy function
- Lightweight, compact design and optional battery power increases portability
- Sturdy aluminum case protects drive and facilitates cooling
- Fits standard 2.5" PATA (IDE) drives with easy, quick installation
- Windows compatible, Plug and Play, hot swappable

702911 2.5"


SATA Drive Rack **NEW**

- Directly insert SATA 150/300 L-type drives into a desktop PC bay – no internal tray required
- Patented connector reduces damage to drive pins for many reliable connections
- Ideal for transporting data between multiple locations and PCs
- Key lock protects against unauthorized access and theft
- Unique case and built-in fan maximize airflow and cooling efficiency
- Anti-vibration construction protects drive from shock

451116 L-type, Internal, 3.5"



Hard Drive Docking Kit

- Easily converts standard IDE hard drive into a portable drive
- Ideal for users needing hard drives in multiple locations, i.e. office and home
- Protects data from unauthorized access
- Installs into any 5.25" bay
- Lockable, 2 keys included
- Mounting hardware included

451062 SATA 150 Docking Kit, Aluminum, 1 Fan

451086 SATA 150 Hard Drives, Plastic, 1 Fan, Beige

451109 SATA 150 Hard Drives, Plastic, 1 Fan, Black **NEW**

450737 Ultra ATA 133/100/66 IDE Hard Drives, Aluminum, 3 Fans


450713 Ultra ATA 66 IDE Hard Drives, Plastic, 1 Fan



451062



451109



450737

FDD Mounting Frame

- Universal mounting frame for a 3.5" floppy drive into a 5.25" bay
- Includes mounting hardware

433556 Plastic, Black

423106 Metal, Beige



433556

HDD Mounting Kit

- High quality, durable metal rails
- Includes mounting hardware

3.5" to 5.25" mounting kit

422475



- Easily adapts 2.5" notebook drives for use in 3.5" desktop bays

2.5" to 3.5" mounting kit with 40-44 pin adapter

424547



422475



424547

Socket 7 / A CPU Cooler
NEW


- Made for Socket A or Socket 7 CPUs
- Cools CPUs up to 1.8 GHz
- Total Dimensions: 75x80x55 mm
- 3pin connector

337946 Aluminum Heat Sink

Socket 7 / 370 CPU Cooler

- Made for Socket 7 (AMD® K6, K6-2, K6-3, Cyrix, Pentium MMX + non-MMX) and Socket 370 Processors (Tualatin and Coppermine Celeron & Pentium III, VIA C3)
- Cools CPUs up to 1.4 GHz
- Airflow: 26.2 CFM (4000 RPM)

700252 3-pin power connector

700580 4-pin pass-through power connector

Cooler for AMD Duron
NEW

- Socket A CPUs up to 1.4 GHz

700948 Socket A, 1.4Ghz

CPU Water Cooling Kit

- Efficient active thermal exchange vs. passive heatsink/fan
- Designed for AMD or P IV Processors
- Fits in any case with an 80 mm fan opening
- Full Copper Radiator
- Nanometer Ceramic Bearing Fan
- Durable, flame-resistant tubing
- Internal or external installation
- Fan speed controller
- YFin: Refill water from outside of the case

701945 Copper Radiator with Aluminum Water Block

Socket T CPU Cooler
NEW

- Copper-plate and crotched-fin construction provides optimum thermal conductivity and dissipation
- High-efficiency fan with nanometer ceramic bearing delivers quiet, reliable cooling
- Helps protect Intel Pentium 4 processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

702799 Supports Intel Pentium 4 LGA 775

Socket T CPU Cooler
NEW

- Lightweight, rugged aluminum heat sink and crotched-fin construction provide effective thermal conductivity and dissipation
- High-efficiency fan with nanometer ceramic bearing delivers quiet, reliable cooling
- Helps protect Intel Pentium 4 processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

702812 Supports Intel P4 LGA 775

Socket 478 CPU Cooler
NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ever lubricated bearing delivers quiet, reliable cooling
- Helps protect Intel Pentium 4 processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

702829 Supports Intel Pentium 4


Socket A/462/370 CPU Cooler

NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with nanometer ceramic bearing delivers quiet, reliable cooling
- Helps protect AMD processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

702836 Supports AMD Sempron 3000+ and Athlon XP3000



Socket T/672/930 CPU Cooler

NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ever-lubricated bearing delivers quiet, reliable cooling
- Helps protect Intel Pentium 4/D processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

702843 Supports Intel Pentium 4/D LGA 775




Socket 939/940 CPU Cooler

NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ever-lubricated bearing delivers quiet, reliable cooling
- Helps protect AMD processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

702850 Supports Athlon 64 - 3800+, Athlon 64FX - 53, Opteron to 848 MHz and Sempron to 3100+




Socket A/462/370 CPU Cooler

NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with nanometer ceramic bearing delivers quiet, reliable cooling
- Helps protect AMD processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

702867 Supports AMD K7 XP3200+




Socket 462/478 CPU Cooler

NEW

- Copper construction provides optimum thermal conductivity and dissipation
- High-efficiency fan with nanometer ceramic bearing delivers quiet, reliable cooling
- Helps protect AMD and Intel processors from heat damage
- Built-in sensor automatically adjusts fan speed at higher operating temperatures
- Easy installation; ideal for new systems, upgrades and replacements

702874 Supports AMD Athlon, Duron, Athlon XP3200+, Intel Pentium III Celeron and Intel Pentium 4




Socket T/939/940 CPU Cooler

NEW

- Copper plate with aluminum heat pipes and seamless fin connections provide optimum thermal conductivity and dissipation
- High-efficiency lighted fan with ever-lubricated bearing and dual operational modes delivers quiet, reliable cooling
- Helps protect AMD and Intel processors from heat damage
- Easy installation; ideal for new systems, upgrades, replacements and over-clocking applications

702980 Dual-Mode Heat Pipe, Supports AMD Opteron, Athlon 64, Athlon 64 FX and Sempron and Intel Pentium 4 LGA 775




Socket T/478 CPU Cooler

NEW

- Six aluminum heat pipes and specialized fin design provide optimum thermal conductivity and dissipation
- High-efficiency fan with ball bearing and adjustable speed control delivers quiet, reliable cooling
- Helps protect AMD and Intel processors from heat damage
- Easy installation; ideal for new systems, upgrades, replacements and over-clocking applications

702997 Heat Pipe, Supports AMD K7/K8 Opteron, Intel Pentium 4 LGA 775 and Pentium III



CPU Thermal Grease

- Use to increase thermal conductivity between CPU and heat sink
- Components: Silicone (50%), Carbon (20%), Metal Oxide (20%), Silver Oxide (10%)
- Thermal Conductivity: $>1.729 \text{ W/m}\cdot\text{k}$, Thermal Impedance: $<0.242 \text{ C-in}^2/\text{Watt}$
- 1.5 grams

701662



System Cooler

- Mounts in standard PCI slot
- 4-pin pass-through power connector
- Airflow: 31 CFM

210140



Hard Drive Cooler

- Aluminum tray
- 4-pin pass-through power connector
- 60 mm fan

700559 Single High-Speed Fan, Airflow: 10.8 CFM


210799 Dual High-Speed Fans, Airflow: 16.4 CFM



PC Air Conditioner

- Cross lateral fan system
- Lowers system temperature by up to 9° C (16° F)
- Lowers CPU temperature by more than 2° C (3.5° F)
- Easy-to-clean mesh filter
- Quiet, vibration-free operation
- 4-pin pass-through power connector
- Easy installation
- Airflow: 20 CFM

702492 110 x 148 x 44 mm



Video Card Chipset Cooler

- Spring clip mounting
- 3-pin power connector

701334 Aluminum Radial Fin Heat Sink

701402 Standard version



701334



701402

Case/Power Supply Fan – Includes Screws**Ceramic Bearing****702034** 80 x 80 x 25 mm, 3 pin**702041** 80 x 80 x 25 mm, 4 pin, Ceramic**Ball Bearing**

• Air Flow: max. 31 CFM, Noise Level: max. 30 dBA

701747 80 x 80 x 25 mm, 3-Pin**700894** 80 x 80 x 25 mm, 4-Pin**Sleeve Bearing**

• Air Flow: max. 31 CFM, Noise Level: max. 29 dBA

700955 80 x 80 x 25 mm, 3-Pin

• Air Flow: max. 31 CFM, Noise Level: max. 25 dBA

700320 80 x 80 x 25 mm, 4-Pin

• Air Flow: max. 4.8 CFM, Noise Level: max. 28 dBA

700665 40 x 40 x 10 mm, 4-Pin


• Air Flow: max. 16.32 CFM, Noise Level: max. 29 dBA

700313 60 x 60 x 20 mm, 4-Pin

• Air Flow: max. 27 CFM, Noise Level: max. 25 dBA

700337 92 x 92 x 25 mm, 4-Pin

• Air Flow: max. 70 CFM, Noise Level: max. 36 dBA

701655 120 x 120 x 25 mm**Lighted Case Fans**

• Clear fan blades, 4 LEDs

• **3-pin power connector**

• Sleeve bearing

• Air Flow: max. 35.2 CFM, Fan Speed: 3,000 RPM

• Noise Level: max. 29.5 dBA

702379 Apple Green, Aluminum**702393** Cherry Red, Aluminum**702409** Midnight Blue, Aluminum**702416** Blazing Yellow, Aluminum



• Clear casing and fan blades, 3 LEDs

• **4-pin pass-through power connector**

• Ball bearing

• Air Flow: max. 29.1 CFM, Fan Speed: 2,500 RPM

• Noise Level: max. 30.0 dBA

701693 Apple Green**701679** Cherry Red**701686** Midnight Blue**701709** Rainbow

UNINTERRUPTIBLE POWER SUPPLIES

Line Interactive UPS

NEW

- Advanced protection for PC and Mac systems against power outages, sags, surges and line noise
- Built-in microprocessor maintains proper charge, provides consistent power output and helps extend battery life
- Automatic voltage regulation (AVR), cold start capability and diagnostics
- 480 Joules telephone, fax and network surge protection
- Fuse protection from overload and short circuit events
- LED and audible alert system and power management software help monitor critical functions
- \$100,000 connected equipment guarantee (US and Canada only)

168120 500 VA / 300 W

168175 1000 VA / 600 W


Line Interactive UPS

NEW

- Advanced protection for PC and Mac systems against power outages, sags, surges and line noise
- Built-in microprocessor maintains proper charge and provides diagnostics to help extend battery life
- Cold start capability provides temporary battery backup during power disruptions
- 220 Joules surge protection
- Circuit breaker protection offers quick recovery from overload and short circuit events
- LED and audible alert system helps monitor critical functions
- \$100,000 connected equipment guarantee (US and Canada only)


168212 600 VA / 300 W

168229 1000 VA / 500 W


Line Interactive UPS

NEW

- Advanced protection against power outages, sags, surges and line noise
- RISC-based microprocessor maintains proper charge, provides consistent power output and helps extend battery life
- Built-in expansion slot for optional SNMP card
- Automatic voltage regulation (AVR), cold start capability and diagnostics
- 1120 Joules telephone/fax and network surge protection
- Circuit breaker protection offers quick recovery from overload and short circuit events
- LED and audible alert system and power management software help monitor critical functions
- \$100,000 connected equipment guarantee (US and Canada only)

168205 2000 VA / 1400 W, Rackmount



SURGE PROTECTORS

Surge Strip 90 Joules

- 6 outlets 110 V
- Maximum load of 15 Amps 125 Volts 60 Hz
- Integrated circuit breaker switch
- Listed under UL 1363; CSA listed
- Automatic circuit breaker shuts off when there is a power overload of 15 Amps; push switch to reset

307192 Heavy duty cord, 3.0 ft

90
JOULES



Surge Strip 270 Joules

- 6 outlets 110 V
- 270 Joules
- Integrated circuit breaker switch
- 3 line surge protection (hot, neutral, ground)
- Maximum load of 15 amps 125 Volts 60 Hz
- Listed under UL 1363
- Surge LED indicator light
- Mountable to wall or flat surface (hardware not included)

309677 Heavy duty cord, 4.0 ft

270
JOULES

Surge Protector with RJ-45 Protection

- 6 Outlets
- 2 RJ45 jacks (1 in 1 out)
- 270 Joules
- Resettable circuit breaker
- 3 line surge protection (hot, neutral, ground)
- DSL/Cable Modem and network surge protection
- EMI/RFI noise filter
- Lighted On/Off switch and protection indicator light

167567 Heavy duty cord, 4.0 ft

270
JOULES

Surge Protector with RJ-11 Protection

- 6 AC ports
- 2 RJ11 ports (1 in 1 out)
- 270 Joules
- Child-safe sliding cover
- Full 3 line surge protection
- EMI/RFI noise filter
- Phone/Fax/Modem protection
- Circuit breaker with reset feature
- Listed under UL 487A, 1363 and 1449

160001 Heavy duty cord, 3.5 ft

270
JOULES

Surge Strip 5+3 Outlets

- 5 regular AC outlets; 3 outlets spaced for use with AC adapters
- 270 Joules
- Power switch with circuit breaker
- Listed under UL 1363

169721 Heavy duty cord, 1.5 ft.

270
JOULES

Power Extension Cable, Retail Packaged

- PC power US
- Power strip liberator

382922 12 in.

Power Strip Liberator , Polybag

- Use with AC adapters to allow access to standard surge protector plugs, 1 ft.

301428

303040 5-pack


Power Extension Y-Cable 12"

- Male - 2 x Female

303064

303071 5-pack

AVAILABLE OCTOBER 2006



SURGE PROTECTORS (With Equipment Protection Guarantee)

Surge Protector for Home Use

- 750 joules, modem or fax protection
- 6 outlets, 1 input/1 output phone jack
- Protection indicator LED
- Lighted On/Off reset switch
- EMI / RFI noise filter
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- \$50,000 Equipment Protection Guarantee (US & Canada only)
- **6 ft. heavy-duty cord**
- Mounts to wall or other flat surface (Hardware not included)

570800
750
JOULES

\$50,000
GUARANTEE

Surge Protector for Business

- 2,720 joules, modem or fax protection
- 8 Outlets, 1 input /2 output phone jacks
- Lighted On/Off reset switch
- EMI / RFI noise filter
- 3 Outlets for AC adapters
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- Wiring fault and protection LEDs – Red means faulty, Green means OK
- \$250,000 Equipment Protection Guarantee (US & Canada only)
- **6 ft. heavy-duty cord**
- Mounts to wall or other flat surface

570831
Right Angle Plug
\$250,000
GUARANTEE

2720
JOULES


Surge Protector for Network

- 2,840 joules, modem or fax protection
- Coaxial cable protection - 4 jacks
- 8 outlets, 1 input/2 output phone jacks
- Lighted On/Off reset switch
- EMI / RFI noise filter
- 3 outlets for AC adapters
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- Wiring fault and protection LEDs – Red means faulty, Green means OK
- \$400,000 Equipment Protection Guarantee (US & Canada only)
- **12 ft. heavy-duty cord**
- Mounts to wall or other flat surface (Hardware not included)


570848
2840
JOULES

Right Angle Plug
\$400,000
GUARANTEE


Universal Tool Kit

- Heavy duty, custom molded carrying case
- Mini vacuum cleaner with attachments
- Soldering iron, solder wick and solder
- Ratchet driver with 57 interchangeable ends
- Assorted crimp-on wire connectors
- Hammer
- Flashlight
- 9 piece allen wrench set
- Brush
- 6 sizes of precision screw drivers (Phillips and flat head)
- Precision hobby knife
- Wire ties
- Wire cutters
- Needle nose pliers with built in wire cutter
- Wire stripper
- Crimper
- Antistatic chip inserter
- Antistatic chip extractor
- Antistatic three prong parts & chip retriever/extractor
- Antistatic chip tweezers
- 2 AA batteries
- Magnetic telescoping pick up tool
- Electric voltage tester

530217



Technician's Tool Kit

- Soldering iron, solder wick, and solder
- Antistatic chip inserter, antistatic chip extractor, antistatic threeprong parts & chip retriever/extractor, antistatic chip tweezers
- Needle nose pliers
- Extra parts tube
- 1/4" nut-driver
- 3/16" nut-driver
- T10 & T15 torque screwdriver
- (2) Phillips head screwdrivers: small and standard
- (2) Flat head screwdrivers: small and standard

530071



Basic Computer Tool Kit

- Antistatic chip inserter, antistatic chip extractor, antistatic three prong parts & chip retriever/extractor, antistatic chip tweezers
- 1/4" nutdriver
- 3/16" nut driver
- T-15 star-type screwdriver
- #1 Phillips screwdriver, #0 Phillips screwdriver
- 3/16 slotted screwdriver, 1/8" slotted screwdriver
- extra parts tube
- Vinyl zipper case

400077





MANHATTAN[®] RETAIL PACKAGED CABLE PROGRAM

- Gold Plated Contacts
- Strain Relief
- Broad Selection
- Guaranteed Quality
- Lifetime Warranty

Hanging and Standing Capability

Easy to Read Part Number for Convenient Re-Ordering

Prominently Displayed Connectors are Easy to Identify

Multi-Lingual Product Application/Description

Lifetime Warranty on All MANHATTAN products

Fully Heat-Sealed Blister Prevents Product Theft

Detailed Technical Description and Illustration





Introducing MANHATTAN Retail Packaged Cables, featuring only the best-selling, time-proven products. You can now choose from a full-range of cables.



USB CABLES

Hi-Speed USB 2.0 Device Cable

A Male / B Male

- USB Type A male to USB Type B male
- Connects a USB device to a USB hub or computer
- Speeds of up to 480 Mbps
- Hi-Speed USB 2.0 for ultra-fast data transfer rates – with zero data degradation

380003 Silver, 6 ft

380010 Silver, 10 ft

380027 Silver, 15 ft

380065 Black, 6 ft

380072 Black, 10 ft

380089 Black, 15 ft

380034 Blue, 6 ft

380041 Blue, 10 ft

380058 Blue, 15 ft



Hi-Speed USB 2.0 Device Cable

- USB Type A male to USB Type Mini B male
- Connects a USB device to a USB hub or computer
- Speeds of up to 480 Mbps
- Hi-Speed USB 2.0 for ultra-fast data transfer rates – with zero data degradation

380188 A to Mini 5-pin, Silver, 6 ft.

380195 A to Mini 5-pin, Silver, 10 ft.

380249 A to Mini 4-pin, Silver, 6 ft.

380256 A to Mini 4-pin, Silver, 10 ft.



Hi-Speed USB 2.0 Device Cable

A Male / A Female

- USB Type A male to USB Type A female
- Extends a USB cable to a maximum of 16 ft
- Speeds of up to 480 Mbps
- Hi-Speed USB 2.0 for ultra-fast data transfer rates – with zero data degradation

380096 Silver, 6 ft.

380102 Silver, 10 ft.

380119 Silver, 15 ft.

380157 Black, 6 ft.

380164 Black, 10 ft.

380171 Black, 15 ft.

380126 Blue, 6 ft.

380133 Blue, 10 ft.


380140 Blue, 15 ft.



MANHATTAN Reorder Card

MANHATTAN offers special tags to make the re-ordering of your best selling products quick & easy!

800655 25 pack



FIREWIRE CABLES

FireWire Device Cable

Male / Male

- Meets or exceeds all IEEE 1394 specifications, providing unsurpassed data transmission and integrity

- 380508** 6-Pin / 6-Pin, Black, 6 ft.
- 380515** 6-Pin / 6-Pin, Black, 10 ft.
- 380522** 6-Pin / 4-Pin, Black, 6 ft.
- 380539** 6-Pin / 4-Pin, Black, 10 ft.
- 380546** 4-Pin / 4-Pin, Black, 6 ft.
- 380553** 4-Pin / 4-Pin, Black, 10 ft.
- 380591** 1394b / 4-Pin, Black, 10 ft.
- 380614** 1394b / 6-Pin, Black, 10 ft.
- 380638** 1394b / 1394b, Black, 10 ft.



NETWORK CABLES

Network Cable, Cat5e, 350 MHz

RJ-45 Male / RJ-45 Male, Molded Boot, Snagless

- Impedance Matched - Wire and connectors are carefully matched to virtually eliminate echoing and cancellation, guaranteeing high-speed, error-free transmission.
- Gold Plated Contacts - Gold plating eliminates corrosion and provides maximum conductivity to ensure data integrity.
- Unique PVC Jacket - Exclusive polymer technology provides unsurpassed durability and flexibility
- Snag Free Boots - Prevent cable tangling and broken connector retaining clips when pulling cable
- Strain Relief - Increases strength while sustaining maximum flexibility even under extreme conditions
- Standards Tested - Meet or exceed current Cat5e proposed standards

- 389877** Blue, 1 ft
- 381451** Blue, 3 ft
- 381468** Blue, 7 ft
- 381475** Blue, 10 ft
- 389884** Blue, 14 ft



Network Cable, Cat6

RJ-45 Male / RJ-45 Male

- Impedance Matched - Wire and connectors are carefully matched to virtually eliminate echoing and cancellation, guaranteeing high-speed, error-free transmission.
- Gold-Plated Contacts - Gold plating eliminates corrosion and provides maximum conductivity to ensure data integrity.
- Unique PVC Jacket - Exclusive polymer technology provides unsurpassed durability and flexibility
- Snag-Free Boots - Prevent cable tangling and broken connector retaining clips when pulling cable
- Strain Relief - Increases strength while sustaining maximum flexibility even under extreme conditions
- Standards Tested - Meets or exceeds Cat6 standards

- 389914** Blue, 1 ft
- 381949** Blue, 3 ft
- 381956** Blue, 7 ft
- 381963** Blue, 10 ft
- 389921** Blue, 14 ft



Unique Jacket

Exclusive polymer technology provides unsurpassed durability and flexibility.

Impedance Matched

Wire and connectors are carefully matched to virtually eliminate echoing and cancellation, guaranteeing high-speed, error-free data transmission.

Strain Relief

Dynamic molded design adds strength while sustaining maximum flexibility even under extreme conditions.

Snag-Free Boot

Prevents cable tangling and broken connector retaining clips when pulling cable.

Gold Plated Contacts

24k gold plating eliminates corrosion and provides maximum conductivity to ensure data integrity.

DATA CABLES

IEEE Data Cable

- Connects any PC with a DB25 parallel port to a printer or other DB25 device (switchbox)
- Meets or exceeds IEEE 1284 standards for ultra-fast, error-free bi-directional performance

380706 DB25 Male / DB25 Female, Beige, 6 ft.

380683 DB25 Male / DB25 Male, Beige, 6 ft.



Data Cable

380782 DB9 Male / DB9 Female, Beige, 6 ft.

380751 DB25 Male / DB25 Male, Beige, 10 ft.

380768 DB25 Male / DB25 Female, Beige, 6 ft.

380775 DB25 Male / DB25 Female, Beige, 10 ft.



POWER CABLES

Power Extension Cable

- PC power US
- Extends US PC power cables

382762 U.S., Black, 6 ft.


382809 U.S., Black, 10 ft.

382847 US, Male to Female, Black, 6 ft.

382885 US, Laptop "Figure 8" to 2 Prong, Black, 6 ft.

383691 US, Laptop Figure-8 to 2-Prong, Black, 12 ft.

382922 US, Male to Female, Black, 12 in.



MONITOR CABLES

Monitor Cable

- Fully shielded – Ideal for all monitor sizes and types

SVGA

- 380911** HD15 Male / HD15 Female, Black, 6 ft.
- 380928** HD15 Male / HD15 Female, Black, 10 ft.
- 380935** HD15 Male / HD15 Female, Black, 15 ft.
- 380942** HD15 Male / HD15 Male, Black, 6 ft.
- 380959** HD15 Male / HD15 Male, Black, 10 ft.
- 380966** HD15 Male / HD15 Male, Black, 15 ft.

NEW **383684** HD15 Male to 5 x BNC Male, Black, 10 ft.

NEW **383677** HD15 Male / 5 x BNC, Black, 15 ft.

DVI

- 381048** DVI-D Single Link / DVI-D Single, Beige, 6 ft.
- 381055** DVI-A Male to HD15 Male, Beige, 6 ft.
- 381062** DVI-D Single Link / HD15 Male, Beige, 6 ft.
- 381079** DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige, 6 ft.
- NEW** **383653** DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige, 15 ft.
- NEW** **383660** DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige, 10 ft.
- 381116** HD15 Male to 5 x BNC Male, Black, 10 ft.
- 381123** HD15 Male / 5 x BNC, Black, 15 ft.

NEW **383646** HD15 Male / 5 x BNC, Black, 15 ft.

NEW **383707** DVI-A/D Dual Link Male to HD15 Female, Beige, 15 ft.

HDMI

- 383103** HDMI Male to DVI-D 24+1 Male, Dual Link, Black, 6 ft.
- 383110** HDMI Male to DVI-D 24+1 Male, Dual Link, Black, 10 ft.
- 383080** HDMI Male to HDMI Male, Shielded, Black, 6 ft.
- 383097** HDMI Male to HDMI Male, Shielded, Black, 10 ft.



ADAPTERS

Adapter

- 382496** DB9 Male / DB9 Male, Beige
- 382502** DB 9 Female / DB9 Female, Beige
- 382519** HD15 Male / HD15 Male, Beige
- 382526** HD15 Female / HD15 Female, Beige
- 382540** DB25 Female / DB25 Female, Beige
- 380881** PS/2 Male / AT Female, Beige, 6 in.
- 380898** PS/2 Female / AT Male, Beige, 6 in.
- 380904** PS/2 Male / 2 x PS/2 Female, Beige, 6 in.
- 381093** DVI-A/D Dual Link Female to HD15 Male, Beige
- 381109** DVI-A/D Dual Link Male to HD15 Female, Beige



381109

380904

382533

AUDIO/VIDEO CABLES

RCA Cable

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

- 361231** Single Cinch RCA to Single Cinch RCA, Blue, 5 ft.
361248 Single Cinch RCA to Single Cinch RCA, Blue, 10 ft.
361255 Single Cinch RCA to Single Cinch RCA, Blue, 16 ft.
361842 Component Male to Male, Blue, 26 ft.
361262 Dual Cinch RCA to Single Cinch RCA, Blue, 5 ft.
361279 Dual Cinch RCA to Single Cinch RCA, Blue, 10 ft.
361286 Dual Cinch RCA to Single Cinch RCA, Blue, 16 ft.
361736 Dual Cinch RCA to Single Cinch RCA, Blue, 33 ft.
361187 Dual Cinch RCA to Dual Cinch RCA, Blue, 5 ft.
361194 Dual Cinch RCA to Dual Cinch RCA, Blue, 10 ft.
361200 Dual Cinch RCA to Dual Cinch RCA, Blue, 16 ft.
361705 Dual Cinch RCA to Dual Cinch RCA, Blue, 33 ft.
361156 Triple Cinch RCA to Triple Cinch RCA, Blue, 10 ft.
361163 Triple Cinch RCA to Triple Cinch RCA, Blue, 5 ft.
361170 Triple Cinch RCA to Triple Cinch RCA, Blue, 16 ft.
361682 Triple Cinch RCA to Triple Cinch RCA, Blue, 33 ft.



361231



361187



361187



361156

Stereo to RCA Cable

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

- 361217** 3.5 mm Stereo to Dual Cinch RCA, Blue, 5 ft.
361224 3.5 mm Stereo to Dual Cinch RCA, Blue, 10 ft.



S-Video Cable

Carries brightness and color signals on separate synchronized signal-ground pairs for improved image reproduction.

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

- 361293** S-Video Male to Male, Blue, 5 ft.
361330 S-Video Male to Male, Blue, 10 ft.
361354 S-Video Male to Male, Blue, 16 ft.
361767 S-Video Male to Male, Blue, 33 ft.



AUDIO/VIDEO CABLES

Component Video Cable

Keeps the source signal within the conductor to minimize loss and block interference from external sources.

- Component male to male
- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

361804 Component Male to Male, Blue, 5 ft.

361811 Component Male to Male, Blue, 10 ft.

361835 Component Male to Male, Blue, 15 ft.



Toslink Cable

Improves digital audio quality by reducing distortion from inductance, capacitance and resistance.

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

361361 Toslink Male to Male, Blue, 5 ft.

361415 Toslink Male to Male, Blue, 10 ft.

361422 Toslink Male to Male, Blue, 16 ft.

361774 Toslink Male to Male, Blue, 33 ft.



Audio/Video Cable

- Mini-1/8" male to Mini-1/8" female
- Extends any Mini-1/8" cable

381277 Mini 1/8" Male / Mini 1/8" Female, Black, 6 ft.

381239 MPC-2 Male / MPC-2 Male, Black, 18 in.

381253 MPC-2 Male / 2 x MPC-2 Male, Black, 24 in.

381246 Universal CD-Rom Audio Cable, 18 in.

381260 SPDIF 2-Pin Male / SPDIF 2-Pin Male, Black, 18 in.



381277



381260



381246



381239

Audio/Video Cable

- RCA Dual Cinch male to Mini-1/8" male
- Connects any RCA computer to a Mini-1/8" device

381178 RCA Dual Cinch Female / Mini 1/8" Male, Black, 10 in.

NEW **383189** S-Video / RCA Single Cinch, Black, 6 ft.

NEW **383196** S-Video / RCA Single Cinch, Black, 10 ft.

NEW **383202** S-Video / RCA Single Cinch, Black, 16 ft.

NEW **383714** Mini 1/8" Male / Mini 1/8" Female, Black, 12 ft.



PRINTER CABLES

Parallel Printer to USB Converter

- IEEE 1284 Compliant
- Plug & Play - automatic detection and installation of peripherals
- Windows 98/2000/Me/XP compatible

317474 Cen36 Male to USB A




Printer Cable

- Connects any PC with a DB25 parallel port to a printer or other Centronics 36 device
- Meets or exceeds IEEE 1284 standards for ultra-fast, error-free bi-directional performance

380652 Cen36 / DB25 Male, 6 ft.

380669 Cen36 / DB25 Male, 10 ft.


380676 Cen36 / DB25 Male, 15 ft.



Printer Cable

- Connects any PC with a DB25 parallel port to a printer or other Mini-Centronics 36 device
- Meets or exceeds IEEE 1284 standards for ultra-fast, error-free bi-directional performance

380720 Mini-Cen36 / DB25 Male, 6 ft.



KEYBOARD/MOUSE CABLES

Keyboard / Mouse Cable

- Extends any mouse cable

380829 PS/2 Male / PS/2 Female, 6 ft.

380836 PS/2 Male / PS/2 Female, 10 ft.

380850 PS/2 Male / PS/2 Male, 6 ft.



OTG CABLES

USB On-The-Go (OTG), a supplement to the existing USB 2.0 standard, enables two USB devices (at least one OTG-compliant) to interface without the need of a PC or bridge. OTG keeps the USB host/peripheral model but adds the “dual-role” capability enabling a device to serve as host or peripheral.

Hi-Speed USB 2.0 OTG Cable **NEW**


- Enables direct Hi-Speed USB 2.0 connection between OTG-compliant devices
- Ultra-fast data transfer rates with zero data degradation
- Supports speeds of up to 480 Mbps

383134 Mini A Male / Mini B Male, Black, 6 ft.

383141 B Male / Mini A Male, Black, 6 ft.

383158 Mini B Male / Mini B Male, Black, 6 ft.

383165 A Male / Mini B Male, Black, 6 ft.



383134



383165



383141


SATA 300 CABLES

External SATA 300 Cable **NEW**

- Supports data transfer speeds up to 3.0 Gbps
- Up to 3 times faster than Hi-Speed USB 2.0 and FireWire
- 2 l-type male connections fit SATA 150 and SATA 300 devices
- Fully shielded

383516 eSATA, I-Type, Red, 20 in.

383523 eSATA, I-Type, Red, 39 in.




HDTV CABLES

Monitor Cable **NEW**

- Ensures signal integrity and reduces need for multiple adapters
- Shielded cable and contacts, molded PVC boot and strain-relief design

384414 HD15 Male / Triple RCA Male, 6 ft.

384421 DVI 29-pin Male / Triple RCA Male, 6 ft.



384414

INTERNAL CABLES

Internal Drive Cable

- 3-connector Ultra 133 cable
- Connects up to 2 IDE devices
- Meets Ultra 133 specifications — full shielding
- Round for increased air flow

381345 3 Connector / 2 Device, Ultra 133, Round, Silver, 18 in.

381338 3 Connector / 2 Device, Ultra 133, Round, Silver, 24 in.



Internal Drive Cable

- 3-connector Ultra 100 cable
- Connects up to 2 IDE devices
- Round for increased air flow

382731 3 Connector / 2 Device, Ultra 100, Round, Blue, 18 in.

382748 3 Connector / 2 Device, Ultra 100, Round, Blue, 24 in.

382755 3 Connector / 2 Device, Ultra 100, Round, Blue, 36 in.

381321 3 Connector / 2 Device, Ultra 100, Round, Black, 24 in.



Internal Power Cable

- Power 4-pin male to 2 x power 4-pin female
- Adds an additional power 4-pin

381284 Power 4-Pin Male / 2 x Power 4-Pin Female, 8 in.

381307 4-Pin Male/Female Pass-Through + 3-Pin Male Fan Connection, 8 in.

381314 Power 4-Pin Male / 2 x 15-Pin Female, 8 in.



HDMI & DVI REPEATERS

HDMI Repeater

NEW

- Easily extends HDMI cable up to 165 ft. for convenient monitor or projector placement
- Maintains multiple HD resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Single-box extension solution boosts and equalizes digital transmissions to help reduce “sparkles”

208024 1 input + 1 output, HDMI cable extender

DVI Repeater

NEW

- Easily extends DVI cable 50 m (165 ft.) for convenient monitor or projector placement
- Maintains multiple HD resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Single-box extension solution boosts and equalizes digital transmissions to help reduce “sparkles”

208031 1 input + 1 output, DVI cable extender

HDMI Switch

NEW

- Easily select between multiple high-definition sources sharing one monitor
- Eliminates cable swapping to reduce high-performance cable and port damage
- Keeps devices connected and ready to use
- Maintains highest single link resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Four-function remote control

208000 3 Ports, 2 Inputs + 1 Output

HDMI Switch

NEW

- Easily select between multiple high-definition sources sharing one monitor
- Eliminates cable swapping to reduce high-performance cable and port damage
- Keeps devices connected and ready to use
- Maintains highest single link resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Six-function remote control

208017 5 Ports, 4 Inputs + 1 Output

DATA SWITCHES

Monitor, Keyboard, and Mouse Data Switch 2 Port

- Keyboard/ monitor/ mouse switch
- Shares up to 2 keyboards, mice and monitors with one CPU or vice versa
- Requires 3 in 1 cables (201016)

155250 HD15/MD6/MD6, 2:1, PS/2

Serial Data Switch 2 Port

150552 DB9, 4:1, Serial

VGA Monitor Data Switch



150576 HD15, 2:1, 2 port

150590 HD15, 4:1, 4 port

IEEE 1284 Auto Switch

- Timeout: 15, 45 Seconds
- Supports IEEE-1284 nibble mode
- First-Come, First-Serve
- Bi-Tronics and Centronics compatible
- Unique broadcast mode supported

155359 2:1 or 1:2



VIDEO SPLITTERS

Professional Video Splitter **NEW**

- Duplicates a video signal for up to 2 VGA outputs
- 400 MHz signal bandwidth
- Separate adjustable output level and line equalization controls
- HD 15 connections
- Computer-to-splitter range: 24.5 ft.
- Video splitter-to-monitor range: 164 ft.
- Connectors: 1 HD15 male, 2 HD15 female

175135 2-Port, Adjustable Output and Equalization Levels



DVI Video Splitter **NEW**

- Duplicates and boosts one DVI signal for up to 2 DVI outputs
- 200 MHz signal bandwidth – supports single and dual DVI signals
- DVH female connections fit analog or digital monitors
- Lifetime Warranty
- Computer-to-splitter range: 1.8 m (6 ft.)
- Video splitter-to-monitor range: 1.8 m (6 ft.)
- Connectors: 3 DVH female
- Supports DDWG standards and resolutions up to 1600 x 1200 (DDBC2B)
- 12 V DC / 500 mA power adapter included

175142 2-Port




Professional Video Splitter

- 350 MHz signal bandwidth
- Automatic power save when VGA input is lost
- HD15 connections
- Computer-to-video splitter range: 25 ft.
- Video splitter-to-monitor range: 210 ft.

169349 2 port, Connectors: 1 HD15 male, 2 HD15 female

169356 4 port, Connectors: 1 HD15 male, 4 HD15 female

169363 8 port, Connectors: 1 HD15 male, 8 HD15 female



Video Splitter

- 150 MHz signal bandwidth
- HD15 connections
- Computer-to-video splitter range: 25 ft.
- Video splitter-to-monitor range: 165 ft.
- Supports up to 1600 x 1280 resolution

171007 2 port, Connectors: 1 HD15 male, 2 HD15 female

171014 4 port, Connectors: 1 HD15 male, 4 HD15 female

171021 8 port, Connectors: 1 HD15 male, 8 HD15 female




Related Product



3-in-1 Spider Cables
p. 71



DVI-A Analog Plug
(from analog display adapter to DVI-I monitor socket)



DVI-D Digital Single Link



DVI-D Digital Dual Link



DVI-I Analog & Digital Single



DVI-I Analog & Digital Dual



DVI & HDMI ADAPTERS

Digital Video Adapter

- DVI Digital or Analog Male to HD15 Female
- 328883** DVH Dual Link Male to VGA Female

HDMI to DVI Adapter, Dual Link **NEW**

- Fully shielded to reduce EMI and other interference sources
- Provides up to 5 Gbps of bandwidth
- Molded PVC boot

374590 HDMI Male to DVI-D 24+1 Male

374606 HDMI Male to DVI-D 24+1 Female

374637 HDMI Female to DVI-D 24+1 Male

374644 HDMI Female to DVI-D 24+1 Female

HDMI to DVI Adapter, Single Link **NEW**

- Fully shielded to reduce EMI and other interference sources
- Molded PVC boot

374613 HDMI Male to DVI-D 18+1 Male

374620 HDMI Male to DVI-D 18+1 Female

374651 HDMI Female to DVI-D 18+1 Male

374668 HDMI Female to DVI-D 18+1 Female

HDMI Adapter **NEW**

- Fully shielded to reduce EMI and other interference sources
- Provides up to 5 Gbps of bandwidth
- Molded PVC boot

374675 HDMI to HDMI, Black, Male to Male

374682 HDMI to HDMI, Black, Male to Female

374699 HDMI to HDMI, Black, Female to Female



374644



374613



374682

SCSI ADAPTERS

SCA 80 to SCSI III Adapter

204590 SCA80F - Boxheader50 & DB68/HP F


MH SCSI III to SCSI II Adapter

201827 DB68/HP M - Boxheader50

SCSI Terminator

202473 DB68/HP F, Active, Internal

201971 DB68/HP M, Active



HDMI MONITOR CABLES



HDMI Male to HDMI Male, Shielded, Black

302883 25 ft

302869 50 ft

302890 75 ft



DVI-D Male to DVI-D Male, Single Link, Beige

328821 6 ft

332835 15 ft

302951 25 ft

303002 50 ft

303026 75 ft



DVI-A Male to HD15 Male, White

328852 6 ft



DVI-D Dual Link Male to DVI-D Dual Link Male, Beige

332866 6 ft



DVI-A Male to HD15 Male, Shielded, White

336475 6 ft



DVI-D Male to DVI-D Female, Single Link, Beige

371643 6 ft

371766 10 ft



DVI-A/D Dual Link Male to DVI-A/D Dual Link Female, Beige

371674 6 ft



DVI-A/D Single Link Male to DVI-A/D Single Link Female, Beige

371698 6 ft



DVI-I Single Link Male to DVI-I Single Link Male, Beige

371704 6 ft



DVI-D Dual Link Male to DVI-D Dual Link Male, Beige

371803 10 ft



DVI-D Dual Link Male to DVI-D Dual Link Female, Beige

371810 6 ft



DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige

371834 10 ft

371841 15 ft



HDMI Male to HDMI Female, Shielded, Black

375177 6 ft




DVI-D Dual Link Male to DVI-D Dual Link Male, Beige

375184 25 ft

375191 50 ft

375207 75 ft



375214 25 ft

375221 50 ft


375238 75 ft



DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige

375245 25 ft

HDTV CABLES



DVI-I Dual Link Male / Triple RCA Male

301091 6 ft.



HD15 Male / Triple RCA Male

301107 6 ft.

HI-SPEED USB 2.0 OTG CABLE

USB On-The-Go (OTG), a supplement to the existing USB 2.0 standard, enables two USB devices (at least one OTG-compliant) to interface without the need of a PC or bridge. OTG keeps the USB host/peripheral model but adds the "dual-role" capability enabling a device to serve as host or peripheral.



Mini A Male / Mini B Male

373234 6 ft.



B Male / Mini A Male

373364 6 ft.



Mini B Male / Mini B Male

373371 6 ft.



A Male / Mini B Male

373388 6 ft.

USB CABLES



USB A to B Cable

Grey

317856 6 ft

317863 10 ft

341028 15 ft

Translucent Blue

319409 6 ft

319447 10 ft

322386 15 ft



USB A to A Extension Cable

Grey

165211 6 ft

317238 10 ft

340960 15 ft

Translucent Blue

319669 6 ft

319706 10 ft

336444 15 ft



Hi-Speed USB 2.0 A to B Cable

Translucent Silver

341011 3 ft

333405 6 ft

340458 10 ft

340465 15 ft

Black

333368 6 ft

333382 10 ft

337779 15 ft



Hi-Speed USB 2.0 A to A Extension Cable

Translucent Silver

336314 6 ft

340496 10 ft

340502 15 ft



Hi-Speed USB 2.0 A to Mini Cable

A to Mini 4-pin, Grey

332804 6 ft

A to Mini 5-pin, Translucent Silver

333412 6 ft

340472 10 ft

FIREWIRE CABLES



IEEE 1394 Cable, 4 pin to 4 pin

Black

323765 6 ft

323772 10 ft

323789 15 ft



IEEE 1394 Cable, 6 pin to 4 pin

Black

323819 6 ft

323826 10 ft

323833 15 ft



IEEE 1394 Cable, 6 pin to 6 pin


Black

323901 6 ft

323925 10 ft

323932 15 ft

AUDIO/VIDEO CABLES



S-Video Cable, Male to Male

336529 6 ft

336536 12 ft

336284 25 ft

336512 50 ft



RCA Plug, Triple-Triple

341516 6 ft



RCA Socket to Mini 1/8"

336505 10 in.



Stereo Y-Cable, Male to Female

332361 6 ft

370769 6 in



Stereo Mini 1/8" Extension Cable

Male to Female

311717 6 ft

Male to Male

334594 6 ft

PRINTER CABLES



Printer Cable

25 conductors, shielded, molded

DB25 Male to CEN36 Male

303033 6 ft

304573 10 ft

301800 15 ft

302241 25 ft

309301 50 ft



IEEE 1284 Printer Cable

18 twisted pair double-shielded, molded

DB25 Male to CEN36 Male

309905 6 ft

309912 10 ft

309929 15 ft

309936 25 ft

317184 50 ft

DVI CABLES



DVI-D Dual Link to Dual Link

328838 6 ft

SATA CABLES



External SATA 150 Cable

- Supports data transfer speeds up to 1.5 Gbps
- 2 L-type, fully-shielded male connections
- Connects SATA 150 controllers to devices

374378 20 in.

374385 39 in.



External SATA 300 Cable

- Supports data transfer speeds up to 3.0 Gbps
- 2 L-type, fully-shielded male connections
- Connects SATA 150 and SATA 300 controllers to devices

374897 18 in.

374903 37 in.

DATA CABLES



Data Cable DB25

IEEE 1284, 25 conductors, shielded

DB25 Male to DB25 Male

300216 6 ft

301350 10 ft

300797 15 ft

301183 25 ft

311199 50 ft



Data Cable DB25

IEEE 1284, 25 conductors, shielded

DB25 Male to DB25 Female

301565 6 ft

301701 10 ft



Data Cable DB9

9 conductors, straight-through, shielded

DB9 Male to DB9 Female

304238 6 ft

304344 10 ft

304368 15 ft

312073 25 ft



Data Cable DB9

9 conductors, straight-through, shielded

DB9 Female to DB9 Female

304382 6 ft



Data Cable DB9

9 conductors, straight-through, shielded

DB9 Male to DB9 Male

304115 6 ft



MONITOR CABLES



VGA Monitor Cables

14 conductors, shielded, molded

HD15 Male to HD15 Female

300025 6 ft

300513 10 ft

300636 15 ft



VGA Monitor Cables

14 conductors, shielded, molded

HD15 Male to HD15 Male

300735 6 ft

300926 10 ft

300902 25 ft

Monitor Cable

Shielded, molded



HDMI Male to HDMI Male

372497 15 ft



HDMI Male to DVI-D 24+1 Male, Dual Link

372527 15 ft



SVGA Monitor Cable

Fully shielded, Ferrite core

HD15 Male to HD15 Male

317757 6 ft

317733 10 ft

317719 15 ft

373708 25 ft

372183 50 ft

373715 100 ft



SVGA Monitor Cable

Fully shielded, Ferrite core

HD15 Male to HD15 Female

317764 6 ft

317740 10 ft

317726 15 ft

373685 25 ft

372107 50 ft

373692 100 ft



SVGA Monitor Cables

Molded, triple shielded (3 coaxial conductors)

HD15 Male to HD15 Male

311731 6 ft

311748 10 ft

312721 15 ft

372978 25 ft

313629 50 ft

337342 100 ft



SVGA Monitor Cables

Molded, triple shielded (3 coaxial conductors)

HD15 Male to HD15 Female

- 309011** 6 ft
- 313599** 10 ft
- 310345** 15 ft
- 327015** 25 ft
- 313612** 50 ft
- 100502** 100 ft



Video Y-Cable

HD15 Male to 2xHD15 Female

- 328302** 6 in



High Resolution Monitor Cable

Ferrite core, triple-shielded, molded

HD15 Male to 5xBNC

- 307284** 6 ft

SCSI CABLES



DB50/HP Male (SCSI II) to DB50/HP Male (SCSI II)

25 Twisted Pairs, Double Shielded, UL2919

DB50/HP Male to DB50/HP Male

- 310390** 6 ft

SCSI CABLES



DB68/HP Male (SCSI III) to DB68/HP Male (SCSI III)

34 Twisted Pairs, Double Shielded, UL2919

DB68/HP Male to DB68/HP Male

- 312585** 6 ft

- 314459** 10 ft



SCSI VHD CABLES

VHD CEN68 Male to DB68/HP Male

- 210270** 6 ft

NULL MODEM CABLES



Null Modem Cable

8 conductors, shielded, molded

DB9 Female to DB25 Male

- 314770** 6 ft



Null Modem Cable

7 conductors, shielded, molded

DB9 Female to DB9 Female

- 301404** 6 ft

NULL MODEM ADAPTER



Null Modem Adapter

DB9 Male to DB9 Female

- 202671**



AT MODEM CABLE



AT Modem Cable

9 conductors, shielded, molded

DB9 Female to DB25 Male

- 314220** 6 ft

- 309226** 10 ft

KEYBOARD CABLES



PS/2 Keyboard Cables

Mini-DIN 6 to Mini-DIN 6, molded

Male to Female

- 302531** 6 ft

- 317160** 10 ft

- 302623** 1.5 ft

- 309547** 25 ft

- 363785** 50 ft



PS/2 Keyboard Cables

Mini-DIN 6 to Mini-DIN 6, molded

Male to Male

- 302548** 6 ft



PS2/AT Keyboard Adapter Cable

Mini-DIN 6 to DIN 5, molded

Male to Female

- 306317** 6 in.

Female to Male

- 306300** 6 in.



PS2/AT Keyboard Adapter

Mini-DIN 6 to DIN 5

Male to Female

- 200820** 6 in.

Female to Male

- 200790** 6 in.



PS/2 "Y" Adapter

Mini-DIN 6 to 2xMini-DIN 6

Male to Female

- 316897** 8 in.



USB to PS/2 Adapter, 6 pin to 6 pin

Connects a USB mouse or keyboard to a PS/2 port, green

- 333962**

Connects a USB mouse or keyboard to a PS/2 port, purple

- 331531**

Connects a PS/2 mouse or keyboard to a USB port, purple

- 341158**

- 331531**

GENDER CHANGERS



PS/2 Gender Changer

Mini-DIN 6 to Mini-DIN 6

Female to Female

200844 6 ft



DB25 Mini Gender Changer

DB25 to DB25

Male to Male

200417



DB25 Mini Gender Changer

DB25 to DB25

Female to Female

200486



DB9 Mini Gender Changer

DB9 to DB9

Male to Male

200370



DB9 Mini Gender Changer

DB9 to DB9

Female to Female

200448



HD15 VGA Mini Gender Changer

HD15 to HD15

Male to Male

200394




HD15 VGA Mini Gender Changer

HD15 to HD15

Female to Female

200462


POWER CABLES



Standard PC Power Cable

• UL & CSA approved


300179 6 ft



Monitor to CPU Adapter Cable


• Monitor to CPU power cable, also power extension cable

301152 6 ft



Power Extension Cable

309387 6 ft



Non-Polarized Power Cord

Replacement power cord for notebooks and other non-polarized devices


339087 6 ft

Power Extension Y-Cable 12"

Male - 2 x Female

303064

303071 5 pack



Power Strip Liberator

Use with AC adapters to allow access to standard surge protector plugs, 1 ft.

301428

303040 5 pack

3-in-1 CABLES



3-in-1 Spider KVM Cable for Auto KVM

• Keyboard, Monitor and Mouse extensions all in one cable
• 2 x MD6M & HD15M to 2 x MD6M & HD15F

205009 6 ft

205016 10 ft

204996 15 ft

323994 30 ft



3-in-1 Spider Cables for Manual KVM

• Keyboard, Monitor and Mouse extensions all in one cable
• 2 x MD6M & HD15M to 2 x MD6M & HD15M

333221 6 ft

333009 10 ft

333214 15 ft



3-in-1 Spider KVM Cable Extension

• Keyboard, Monitor and Mouse extensions all in one cable
• 2 x MD6M & HD15M to 2 x MD6F & HD15F

361323 10 ft

210393 30 ft

210409 60 ft

2-in-1 CABLES



2-in-1 Spider KVM Cable

• Connects a USB KVM Switch to a PC
• Monitor Cable HD15 male to HD15 maletriple shielded (3 coaxial conductors)
• High-Speed USB, shielded
• Designed exclusively for INTELLINET NETWORK SOLUTIONS™ Switches

USB A Male/HD15 Male to USB B Male/HD15 Female

370691 6 ft

370677 10 ft

370684 15 ft

ROUND CABLES



SATA 150 Cable

Cable for new SATA 150 hard drives, 1 device

340700 20 in

340717 40 in



Round ATA 133 Cable

2 device, Fully Shielded, 24 in.

343114 24 in

343084 36 in



Round ATA 133 Cable

Cable for 3.5" floppy drive, 3 connectors, 34 conductors, black

334341 21 in



Round IDE Ultra 100 Cable

Cable for Ultra DMA 100/66 IDE hard drives, 80 conductors, black

2 connector


341486 10 in

3 connector

332996 18 in

333252 24 in

336819 36 in



SATA Power Cable

4 Pin to 15 Pin

342766 6.5 in.



SATA Power Y Cable

• 4 pin to 2 x 15 pin

• 6 in. length

349369 6 in

CD-ROM AUDIO CABLES



CD-ROM Audio Cable

MPC2 to MPC2

315999 18 in

RIBBON CABLES



IDE Hard Drive Cable, 3 Connectors, For 2 Devices

Cable for Ultra DMA 100 IDE Hard Drives, 80 conductors

329316 18 in

332781 24 in.

332354 36 in.

Cable for Ultra DMA 66 IDE Hard Drives, 80 conductors

320979 18 in

328395 24 in.

, 40 conductors

316484 18 in.

309790 21 in.

309806 36 in.



Ultra 320 Ribbon Cable

4 connectors, for up to 3 devices, LVD/SE terminator

337397 30 in.

5 connectors, for up to 4 devices, LVD/SE terminator

337403 37 in.

337410 53 in.

SCSI ADAPTERS



SCA 80 to SCSI III Adapter

SCA80F - Boxheader50&DB68/HPF

204590



MH SCSI III to SCSI II Adapter

DB68/HPM - Boxheader50

201827



SCSI Terminator

DB68/HPF, Active, Internal

202473 30 in.

DB68/HPM, Active

201971 37 in.

INTERNAL POWER CABLES



Power Y-Cable

5.25" Male to 2 x 5.25" Female

301503 8 in



Power Y-Cable

5.25" Male to 1 x 5.25" Female and 1 x 3.5" Female

301831 8 in



Fan Adapter Cable

Adapts CPU fan to motherboard, from a 3 pin to a 4 pin

330411 8 in



P4 Adapter Cable

Adapts a standard power supply to a P4 motherboard

338646 8 in



P4 Adapter Cable

Xeon 8-pin to ATX 4-pin

300964 9.5 in



ATX Motherboard Power Extension

• PC power supply to motherboard

364126 10 in



ATX 20-to-24 Pin Adapter

Ideal for converting 20-pin ATX power supply to 24-pin Motherboard, extends the length of ATX motherboard power supply cable

370219 5 in




WALL MOUNT BRACKETS

LCD Wall Mount Bracket

- VESA compliant mounting bracket
- Supports up to 18 lbs.
- Manual adjustment
- Mounting hardware included

430821 Beige

432351 Black



MONITOR ARMS

Deluxe LCD Monitor Arm

- VESA compliant mounting bracket
- Supports up to 18 lbs.
- Space saving design for home or office
- Positions monitor above work surface
- Arm capable of rotating 360 degrees
- Clamps to any table or desktop up to 3" thick
- Holds any standard LCD monitor

430791 Beige

432344 Black



KEYBOARD DRAWER

Underdesk Keyboard Drawer

- Space saving innovation allows user to tuck keyboard under a table or desktop
- Includes smooth springlock slides for easy movement
- Heavy duty steel hardware

421683 13 x 21.5 x 4"




CD LABELING

CD Labels

- Refill pack for MANHATTAN® CD Labeling Kit
- Ultra-fine paper for laser and color inkjet printers
- 100 labels
- Fits both A4 and Letter size printers (note: always use A4 setting)

811668



WRIST STRAP

Anti-Static Wrist Strap

- Essential for static protection while working on PCs
- Adjustable velcro strap
- 6 ft. grounding cord

410144



MOUSE PADS

Point-Of-Purchase Display

- Our exclusive MANHATTAN Display Box arrives pre-loaded with 20 high quality MANHATTAN mouse pads
- Designed for cash-register display
- Saves money over bulk packed pads

431620 20-Piece Assorted Designer Pads



Gelware™ Mouse Pad

- Ergonomic design
- Gel-filled surface
- Gel wrist cushion

427203 Blue



Wrist-Rest Mouse Pad

- Soft wrist-support feels like gel
- Ergonomically designed
- Combats fatigue
- Non-slip base

434362 Black

434386 Blue



Premium Mouse Pad

- High quality open cell rubber
- Helps to prolong the life of a mouse
- 100% skid resistant, thick and heavy rubber pad

423823 Royal Blue

422574 Green

422598 Red

422511 Grey

422611 White

422628 Black



Mouse Pad, 6 mm Bulk Packed

- 6 mm, closed cell
- Bulk packed

423526 Black

420747 Blue

420778 Red




CLEANING PRODUCTS

TFT/LCD Cleaning Kit **NEW**

Contents:

- 3 wet/dry wipes
- 1 micro-fibre tissue 4 x 6 in.
- 1 swab
- 1 ribbed cleaning sponge
- 1.7 oz cleaning solution
- 5 dry wipes 4 x 4 in.

410816 12 pieces




PC Cleaning Kit **NEW**

For computer screens, casings, scanners, keyboards, and other office equipment

Contents:

- 6.8 oz Airduster
- 4.2 oz screen and casing cleaner
- 1 keyboard cleaning bud with flexible head
- 1 keyboard sponge, with two special surfaces
- 1 ribbed cleaning sponge
- 4 dry cloths 7 x 8.7 in.

410823 9 pieces



TFT/LCD Cleaning Wipes **NEW**

Environmentally-friendly, special cleaning cloths for TFT screens, laptops and flat bed scanner screens; also suitable for use on PDA and LCD screens, screen-free filters and all treated and untreated glass surfaces eg. mirrors, microfilm reading screens, OHP screens and lenses.

410830 100 pieces, wet



TFT/LCD Screen Cleaner **NEW**

Environmentally-friendly, special cleaning spray for TFT screens, laptops, flat bed scanner screens; also suitable for use on PDA and LCD screens, screen-free filters and all treated and untreated glass surfaces eg. mirrors, OHP screens and lenses.

410847 8.5 fl. oz. spray pump



Compact Disc Cleaning Wipes

- 100 Pre-Moistened Wipes for Cleaning Compact Disks & DVDs

433273



CD Lens Cleaner

Safely removes dust and dirt from the laser lens

421737



CD/DVD Disc Repair

- Remove scratches from CDs and DVDs
- Sufficient for 10-12 applications

433310



CLEANING PRODUCTS

Air Duster

- Safely removes dust and dirt from CPUs, keyboard, telephones, etc.

410632 8 oz. Can, Case of 12 Cans



Anti-Static Multi-Surface Cleaning Wipes

- 100 Pre-Moistened Wipes
- Effortlessly remove dirt, grease and fingerprints from a hard plastic surface.
- Anti-Static agent inhibits build up of static electricity and reduces the buildup up of dust on office equipment

433228



Wet/Dry Anti-Static Multi-Surface Cleaning Wipes

- Clean with moist wipe; dry and buff surface with dry wipe
- Anti-static, non-abrasive and non-streaking formula
- Clean all plastic, metal and glass surfaces including television and computer screens, printers, keyboards, telephones and office equipment.
- Safe for use on notebook screens, glare filters and LCD monitors
- Lin-free

433266 12 Wet/12 Dry

433730 50 Wet/50 Dry



Anti-Static Multi-Surface Cleaner

- Gently and thoroughly removes dust and dirt from all plastic and metal surfaces
- Helps prevent static build up

433259



Anti-Static Monitor Screen Cleaner

- Gently and thoroughly remove dust and dirt from all glass surfaces
- Prevent static build up

433242



NOTEBOOK ACCESSORIES

Notebook Power Adapter **NEW**

- Universal AC input provides a broad mobile power solution
- Power factor correction reduces energy loss
- Convertible DC plug tips ensure proper polarization and fit
- Lightweight and compact design easily stores for travel

300476 19 V AC/DC, 65 W



Notebook Cooling Pad

- Reduces CPU temperature for longer life and improved performance
- Fits directly under any notebook
- Conveniently powered via USB port (cable included)

702003 2 Fans with Built-In Hi-Speed USB 2.0 4 Port Hub, Aluminum

701983 3 Fans, USB Powered with Pass-Through Port, Plastic

701976 3 Fans, USB Powered, Plastic



702003



701983




701976

Retractable Multi Connector Kit

- USB A to B cable
- USB A to Mini4 cable
- USB A to Mini4 (Mitsumi style) cable
- USB A to Mini5 cable
- RJ-45 Ethernet cable
- RJ-11 telephone cable
- Extends 4 ft. – eliminates tangled cables
- Convenient travel case

365826



NOTEBOOK ACCESSORIES

Notebook Security Locks


- Secures notebook to stationary objects
- Installs in seconds
- Heavy duty lock

440837 Combination Lock, 6 ft. straight

440691 Key Lock, 3 ft. coiled

440387 Key Lock, 6 ft. straight

440202 D-Sub Port Connection, Combination Lock, 6 ft. **NEW**



440837



440691



440387




440202

USB Flex Light

- Perfect for traveling, presentations or evening work
- Gently illuminates your keyboard without disturbing others
- Plugs directly into any USB port - no external power needed
- Uses less than 90 seconds per hour of battery charge
- Fits easily into your notebook case
- 100,000 hour lifetime

431644



NOTEBOOK CASES

Villager Notebook Backpack **NEW**

- Padded compartments for notebook protection
- Comfortable padded shoulder straps
- Heavy duty handle with comfort grip
- Multiple compartments for files and accessories
- Pocket for digital player
- Earphone "porthole" – Listen to your digital player while the backpack is closed
- Heavy duty zippers
- Protects notebooks with up to 15" screens
- Pockets: side pocket, front compartment, digital player, notebook area, file compartment with 2 dividers
- Dimensions: 17.25 x 13.75 x 10.25 in.

437691 Cobalt Blue

437684 Crimson Red

437677 Bubble Gum Pink


437714 Tangerine Orange

432696 Smoke Grey

437707 Metallic Grey
(mix & match any colors)



437691



Retail Display Rack

(bags not included)

429610



437684



437677



437714



432696



437707

NOTEBOOK CASES

Wall Street Notebook Case


Supple black vinyl cover with leather-grain finish; Zipper and Velcro closures; 2 front compartments; Front expandable accessory pouches; Large padded notebook area; Back compartment; Mesh file pocket; Shoulder strap

- Front load
- Protects notebooks with up to 17" screens
- Dimensions: 11.875 x 16 x 7.25 in.

421454



**Fits extra large
17" screens**




Big Apple Notebook Case

Black synthetic canvas cover with vinyl trim; Front compartments and accessory pockets; Zipper and Velcro closures; Compartment with 3 file dividers; Shoulder strap

- Front load
- Protects notebooks with up to 17" screens
- Dimensions: 14.75 x 18 x 5.75 in.

433723




Empire Notebook Case

Synthetic canvas cover with vinyl trim; Large padded notebook compartment; Front compartment; File divider; Back compartment; Accessory pockets; Zipper and Velcro closures

- Front load
- Protects notebooks with up to 17" screens
- Dimensions: 11.5 x 16.25 x 5.5 in.

421560




Empire II Notebook Case

Synthetic canvas cover with vinyl trim; Front compartment; Large padded notebook area; Compartment with 2 file dividers; Back pocket; Shoulder strap; Zipper and Velcro closures

- Front load
- Protects notebooks with up to 15" screens
- Dimensions: 11.25 x 15 x 5.5 in.

421577




Times Square Notebook Case

Synthetic canvas cover with vinyl trim; Front compartment; Large padded notebook area; File divider; Back compartment; Zipper and Velcro closures; Shoulder strap

- Front load
- Protects notebooks with up to 15" screens
- Dimensions: 11 x 14.5 x 4.75 in.

421430




NOTEBOOK CASES

Grand Central Notebook Case

- Padded compartment for computer protection
- Extremely comfortable padded shoulder strap
- Heavy duty handle
- Multiple compartments for your files and accessories
- Protects notebooks with up to 15" screens
- Pockets: front compartment, large laptop area, compartment with file divider, zippered front pocket
- Dimensions: 11.75 x 15.75 x 5.5 in.

421584




Neoprene Notebook Sleeve

NEW

- Use alone or slip into a larger notebook bag for additional storage and portable protection options
- Snug, cushioned fit offers extra protection from spills and mishandling
- Dual strap handles provide secure and confident transport
- Durable, lightweight construction with textured exterior and scratch-resistant interior

- Protects notebooks with up to 15" screens
- Dimensions: 13.5 x 11.375 x 1.75 in

438490



- Protects notebooks with up to 16" screens
- Dimensions: 14.75 x 12 x 1.75 in

438506


- Protects notebooks with up to 17" screens
- Dimensions: 16 x 12.5 x 1.75 in.

438513

Madison Avenue Notebook Case

- Ultra-lightweight (only 43 oz.) and cutting-edge in design
- Padded compartment for computer protection
- Multiple compartments for your files and accessories
- CD-player pocket with headphone "porthole" – listen while the case is closed
- 6-disk CD-ROM sleeve
- Protects notebooks with up to 15" screens
- Pockets: front compartment, large laptop area, two file compartments
- Dimensions: 12.5 x 15.375 x 3.5 in.


432665



Madison Avenue II Notebook Case

- Ultra-lightweight (only 41 oz.), cutting-edge design
- Padded compartment for computer protection
- Multiple compartments for your files and accessories
- CD-player pocket with headphone "porthole" – listen while the case is closed
- 6-disk CD-ROM sleeve
- Protects notebooks with up to 15" screens
- Pockets: front compartment, large laptop area, two file compartments
- Dimensions: 12.5 x 15.375 x 3.5 in.

432658



NOTEBOOK CASES

Park Avenue Notebook Case

- Aluminum case for maximum computer protection
- Foam padded notebook compartment
- Adjustable divider
- Pocket for files and accessories
- Pockets: file compartment, notebook area, three accessory pouches

- Protects notebooks with up to 15" screens
- Dimensions: 11.75 x 16.75 x 3.125 in.

431699 Aluminum with Key Locks

431705 Aluminum with Combination Locks

- Protects notebooks with up to 17" screens
- Dimensions: 13 x 18.5 x 4 in. (13 x 18.25 x 4 in.)

438186 Aluminum with Combination Locks



LaGuardia Trolley Notebook Case

- Padded compartment for maximum computer protection
- Heavy duty telescoping handle
- Durable rubber wheels
- Protects notebooks with up to 17" screens
- Pockets: front accessory pocket, notebook area, file compartment, luggage area, mesh front compartment
- Dimensions: 17 x 13 x 8.5 in.

431576




Kilimanjaro Rolling Notebook Duffel Bag

NEW

- Duffel design fully unzips to provide wide access to roomy, oversized interior and mesh storage pockets
- Separate top-load notebook storage area with zippered closure features divided, padded compartments and accessory pockets; fits most notebooks up to 17"
- Neoprene notebook sleeve with strap handles included for additional portable storage and protection options
- Two padded handles, durable wheels and retractable, heavy-duty telescoping handle help make traveling easier
- Four zippered exterior pockets conveniently hold accessories, pens and other items for quick retrieval
- Separate exterior pocket with closure holds cellular phone or digital music player
- Rugged, moisture-proof polyester exterior
- Dimensions: 19.25 x 15.25 x 15.5 in.

438254 Two-tone, Blue and Black



Matterhorn Rolling Notebook Backpack

NEW

- Frontload main compartment unzips to provide wide access to roomy, oversized interior
- Separate top-load padded notebook storage area with zippered mesh accessory pocket; fits most notebooks up to 15.4"
- Neoprene notebook sleeve with strap handles included for additional portable storage and protection options
- Padded grip, durable wheels and retractable, heavy-duty, two-position telescoping handle help make traveling easier
- Adjustable shoulder straps convert the rolling bag into a versatile backpack
- Padded, zippered rear pocket holds shoulder straps when not in use; provides cushioning when wearing backpack
- Two zippered front pockets securely hold digital accessories and other items
- Two zippered side pockets stow larger items; one zippered storage pouch included
- Wide, sturdy base helps keep loaded backpack upright
- Rugged, weather-resistant polyester exterior
- Dimensions: 18.5 x 14.5 x 13.25 in.

438261



100502.....69	173124.....11	210409.....70	317726.....68	361194.....58	380102.....54	383516.....61	460378.....28
101004.....35	173148.....16	210799.....46	317733.....68	361200.....58	380119.....54	383523.....61	460385.....28
101011.....35	173223.....18	300025.....68	317740.....68	361217.....58	380126.....54	383646.....57	460392.....29
101028.....35	173582.....10	300179.....70	317757.....68	361224.....58	380133.....54	383653.....57	460408.....29
150019.....37	173599.....18	300216.....68	317764.....68	361231.....58	380140.....54	383660.....57	460415.....29
150026.....38	173735.....5	300476.....76	317856.....67	361248.....58	380157.....54	383677.....57	460422.....29
150040.....37	173766.....14	300513.....68	317863.....67	361255.....58	380164.....54	383684.....57	460668.....28
150552.....63	173773.....14	300636.....68	319409.....67	361262.....58	380171.....54	383691.....57	501705.....33
150576.....63	173780.....14	300735.....68	319447.....67	361279.....58	380188.....54	383707.....56	501712.....33
150590.....63	173797.....16	300797.....68	319669.....67	361286.....58	380195.....54	383714.....59	508018.....33
153577.....37	173803.....15	300803.....38	319706.....67	361293.....58	380249.....54	384414.....61	512411.....36
154048.....37	173810.....15	300902.....68	320979.....71	361323.....70	380256.....54	384421.....61	516075.....22
155250.....63	173827.....15	300926.....68	322386.....67	361330.....58	380508.....55	389877.....55	516167.....36
155359.....63	173940.....7	300964.....71	323765.....67	361354.....58	380515.....55	389884.....55	516419.....25
155427.....37	173957.....7	301091.....10	323772.....67	361361.....59	380522.....55	389914.....55	519380.....25
160001.....49	173964.....7	301091.....11	323789.....67	361415.....59	380539.....55	389921.....55	519694.....26
160360.....8	174039.....10	301091.....66	323819.....67	361422.....59	380546.....55	400077.....51	519779.....21
160490.....9	174053.....11	301107.....10	323826.....67	361682.....58	380553.....55	400367.....20	519816.....25
160520.....9	174060.....11	301107.....11	323833.....67	361705.....58	380591.....55	400954.....20	522397.....27
160650.....9	174077.....11	301107.....66	323901.....67	361736.....58	380614.....55	400961.....20	522496.....33
160780.....9	174107.....14	301152.....70	323925.....67	361767.....58	380638.....55	401241.....20	522717.....25
160810.....9	174114.....14	301183.....68	323932.....67	361774.....59	380652.....60	401272.....20	522892.....25
160889.....8	174121.....18	301350.....68	323994.....70	361804.....59	380669.....60	401144.....72	522908.....26
160988.....8	174145.....24	301404.....69	324007.....39	361811.....59	380676.....60	410632.....75	522977.....25
164184.....10	174152.....10	301428.....49	326605.....24	361835.....59	380683.....56	410816.....74	523240.....34
164429.....7	174169.....18	301428.....70	327015.....69	361842.....58	380706.....56	410823.....74	530071.....51
164436.....7	174176.....10	301503.....71	328302.....69	363785.....69	380720.....60	410830.....74	530217.....51
165013.....15	174190.....11	301565.....68	328395.....71	363792.....21	380751.....56	410847.....74	570800.....50
165211.....67	174244.....26	301701.....68	328821.....66	364126.....71	380768.....56	420747.....73	570831.....50
165266.....15	174282.....11	301800.....67	328838.....68	364966.....24	380775.....56	420778.....73	570848.....50
165273.....39	174459.....19	301831.....71	328852.....66	365437.....21	380782.....56	421430.....79	700252.....44
165297.....39	174510.....17	302241.....67	328883.....65	365826.....76	380829.....60	421454.....79	700313.....47
165976.....39	174572.....19	302531.....69	329316.....71	370219.....40	380836.....60	421560.....79	700320.....47
166614.....39	174602.....22	302548.....69	330411.....71	370219.....71	380850.....60	421577.....79	700337.....47
167024.....36	174688.....26	302623.....69	331531.....69	370677.....70	380881.....57	421584.....80	700344.....23
167055.....25	174916.....14	302869.....66	331531.....69	370684.....70	380898.....57	421683.....72	700351.....33
167567.....49	174947.....24	302883.....66	332354.....71	370691.....70	380904.....57	421737.....74	700559.....46
167697.....15	174985.....16	302890.....66	332361.....67	370769.....67	380911.....57	422475.....43	700580.....44
167741.....36	175135.....64	302951.....66	332781.....71	371643.....66	380928.....57	422511.....73	700665.....47
167833.....15	175142.....64	303002.....66	332804.....67	371674.....66	380935.....57	422574.....73	700856.....23
167840.....15	175210.....19	303026.....66	332835.....66	371698.....66	380942.....57	422598.....73	700894.....47
168120.....48	175340.....5	303033.....67	332866.....66	371704.....66	380959.....57	422611.....73	700948.....44
168175.....48	175357.....11	303040.....49	332996.....71	371766.....66	380966.....57	422628.....73	700955.....47
168199.....22	175432.....23	303040.....70	333009.....70	371803.....66	381048.....57	423106.....43	701334.....46
168205.....48	175494.....6	303064.....49	333214.....70	371810.....66	381055.....57	423526.....73	701402.....46
168212.....48	175517.....6	303064.....70	333221.....70	371834.....66	381062.....57	423823.....73	701419.....23
168229.....48	175524.....6	303071.....49	333252.....71	371841.....66	381079.....57	424547.....43	701655.....47
168298.....38	175548.....6	303071.....70	333368.....67	372107.....68	381093.....57	427203.....73	701662.....46
168588.....36	175555.....6	304115.....68	333382.....67	372183.....68	381109.....57	429610.....78	701679.....47
168670.....9	175579.....17	304238.....68	333405.....67	372497.....68	381116.....57	430791.....72	701686.....47
169011.....36	175586.....39	304344.....68	333412.....67	372527.....68	381123.....57	430821.....72	701693.....47
169240.....35	175654.....19	304368.....68	333962.....69	372978.....68	381178.....59	431576.....81	701709.....47
169349.....64	175708.....18	304382.....68	334341.....71	373234.....66	381239.....59	431620.....73	701747.....47
169356.....64	175944.....5	304573.....67	334594.....67	373364.....66	381246.....59	431644.....77	701945.....44
169363.....64	175968.....16	306300.....69	336284.....67	373371.....66	381253.....59	431699.....81	701976.....76
169721.....49	175975.....15	306317.....69	336314.....67	373388.....66	381260.....59	431705.....81	701983.....76
169752.....23	175982.....15	307192.....49	336444.....67	373685.....68	381277.....59	432344.....72	702003.....76
169844.....15	176071.....24	307284.....69	336475.....66	373692.....68	381284.....62	432351.....72	702034.....47
169851.....15	176088.....24	309011.....69	336505.....67	373708.....68	381307.....62	432658.....80	702041.....47
170000.....38	176163.....5	309226.....69	336512.....67	373715.....68	381314.....62	432665.....80	702379.....47
170598.....38	176392.....14	309301.....67	336529.....67	373738.....68	381321.....62	432696.....78	702393.....47
170673.....23	177931.....6	309387.....70	336536.....67	373855.....68	381338.....62	433228.....75	702409.....47
170697.....18	200370.....70	309547.....69	336581.....24	374590.....65	381345.....62	433242.....75	702416.....47
171007.....64	200394.....70	309677.....49	336819.....71	374606.....65	381451.....55	433259.....75	702492.....46
171014.....64	200417.....70	309790.....71	337342.....68	374613.....65	381468.....55	433266.....75	702744.....23
171021.....64	200448.....70	309806.....71	337397.....71	374620.....65	381475.....55	433273.....74	702775.....23
171069.....16	200462.....70	309905.....67	337403.....71	374637.....65	381949.....55	433310.....74	702799.....44
171199.....5	200486.....70	309912.....67	337410.....71	374644.....65	381956.....55	433556.....43	702812.....44
171472.....10	200790.....69	309929.....67	337779.....67	374651.....65	381963.....55	433723.....79	702829.....44
171496.....15	200820.....69	309936.....67	337946.....44	374668.....65	382496.....57	433730.....75	702836.....45
171519.....39	200844.....70	310345.....69	338646.....71	374675.....65	382502.....57	434362.....73	702843.....45
171533.....17	201827.....65	310390.....69	339087.....70	374682.....65	382519.....57	434386.....73	702850.....45
171540.....14	201827.....71	311199.....68	340458.....67	374699.....65	382526.....57	437677.....78	702867.....45
171557.....36	201971.....65	311717.....67	340465.....67	374897.....68	382540.....57	437684.....78	702874.....45
171588.....17	201971.....71	311731.....68	340472.....67	374903.....68	382731.....62	437691.....78	702898.....42
171595.....17	202473.....65	311748.....68	340496.....67	374934.....38	382748.....62	437707.....78	702904.....42
171632.....21	202473.....71	312073.....68	340502.....67	375177.....66	382755.....62	437714.....78	702911.....42
171656.....24	202671.....69	312585.....69	340700.....71	375184.....66	382762.....56	438186.....81	702928.....41
171793.....14	204590.....65	312721.....68	340717.....71	375191.....66	382809.....56	438254.....81	702935.....42
171854.....14	204590.....71	313599.....69	340960.....67	375207.....66	382847.....56	438261.....81	702942.....42
171861.....14	204996.....70	313612.....69	341011.....67	375214.....66	382885.....56	438490.....80	702959.....41
172059.....18	205009.....70	313629.....68	341028.....67	375221.....66	382922.....49	438506.....80	702966.....42
172202.....38	205016.....70	341158.....69	341158.....69	375238.....66	382922.....56	438513.....80	702973.....42
172400.....5	205054.....22	314459.....69	341486.....71	375245.....66	383080.....57	440202.....77	702980.....45
172417.....17	205078.....22	314770.....69	341516.....67	380003.....54	383097.....57	440387.....77	702997.....45
172479.....7	205078.....41	315999.....71	342766.....71	380010.....54	383103.....57	440691.....77	800655.....54
172554.....17	205146.....24	316484.....71	343084.....71	380027.....54	383110.....57	440837.....77	811668.....72
172592.....38	208000.....63	316897.....69	343114.....71	380034.....54	383134.....61	450713.....43	903004.....27
172844.....19	208017.....63	317160.....69	349284.....26	380041.....54	383141.....61	450737.....43	903011.....27
172851.....7	208024.....63	317184.....67	349369.....71	380058.....54	383158.....61	451062.....43	903028.....27
172905.....26	208031.....63	317238.....67	361156.....58	380065.....54	383165.....61	451086.....43	903035.....27
172943.....37	210140.....46	317474.....24	361163.....58	380072.....54	383189.....59	451109.....43	
173032.....11	210270.....69	317474.....60	361170.....58	380089.....54	383196.....59	451116.....43	
173070.....7	210393.....70	317719.....68	361187.....58	380096.....54	383202.....59	460002.....20	

MONITOR LIFE, RIGHT FROM YOUR MONITOR.



NETWORK IP CAMERAS

VIEW LIVE FULL-MOTION VIDEO
USING ANY WEB BROWSER.

MONITOR YOUR HOME OR BUSINESS FROM
THOUSANDS OF MILES AWAY OR FROM
RIGHT NEXT DOOR.

EASY TO SET UP.

WIRED AND WIRELESS MODELS.



INTELLINET™

NETWORK SOLUTIONS

BRINGING NETWORKS TO LIFE

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, use and disclosure of the contents herein are prohibited, unless specifically authorized.

Lifetime Warranty: MANHATTAN and INTELLINET NETWORK SOLUTIONS products are warranted against defects in material and workmanship for as long as they are owned by the original purchaser. See your local dealer for repair or replacement.

Copyright © 2006



**Request the
latest INTELLINET
NETWORK SOLUTIONS
product mailer.**



www.manhattan-products.com